	A
1	In the table below, please identify the specific alignments and aligment alternaitves included in the LPA
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	

	B	C	D
1			
2	1. The alternatives numbers are taken from *Final Capital Costing Memorandum*		
3	2. The alternatives costs from the *Final Capital Costing Memorandum* will be used for the project cost review		
4	3. Also, please identify the correct "system wide" costs to use from the *Final Capital Costing Memorandum*		
5			
6	**Section**	**Alignments Being Considered**	**Alternatives**
7	**1. Kapolei to Ft Weaver Road**	Kamokila Blvd / Farrington Hwy	Alt 1
8			Alt 2
9		Kapolei Pkwy / North-South Rd	Alt 3
10			Alt 4
11		Saratoga Ave / North-South Rd	Alt 5
12			Alt 6
13		Geiger Rd / Ft Weaver Rd	Alt 7
14			Alt 8
15	**II. Ft Waever Rr to Aloha Stadium**	Farrington Hwy / Kamehameha Hwy	Alt 1
16	**III. Aloha Stadium to Middle Street**	Salt Lake Blvd	Alt 1
17			Alt 2
18		Mauka of the Airport Viaduct	Alt 3
19			Alt 4
20		Makai of the Airport Viaduct	Alt 5
21		Aolele Street	Alt 6
22	**IV. Middle Street to Iwilei**	North King Street	Alt 1
23			Alt 2
24		Dillingham Blvd	Alt 3
25	**V. Middle Street to Iwilei**	Beretania St / South King Street	Alt 9
26			Alt 10
27		Hotel Street / Kawaiaha'o St / Kapi'olani Blvd	Alt 1
28			Alt 2
29		King St Tunnel / Waimanu St / Kapi'olani Blvd	Alt 4
30			Alt 5
31		Nimitz Hwy / Queen St / Kapi'olani Blvd	Alt 5
32			Alt 6
33		Nimitz Hwy / Halekauwila St / Kapi'olani Blvd	Alt 7
34			Alt 8
35		Waikīkī Branch	Alt 11

	E	F	G	H	I	J	K	L	M	N
1										
2										
3										
4										
5										
6	**LPA**	**EIS**	**New Start Project**							
7	yes	no	no							
8										
9										
10										
11	yes	yes	partial							
12	alternate	alternate	alternate							
13										
14										
15	yes	yes	yes							
16										
17	yes	yes	yes							
18										
19										
20					**<== Please identify which alternatives are in the LPA**					
21	yes	yes	no							
22					**Also, which "systemwide" costs in the *Final Capital Costing Memorandum* represent the LPA? (i.e., which "systemwide costs" should we use in our analysis from that report?)**					
23										
24	yes	yes	yes							
25										
26										
27										
28										
29										
30										
31										
32										
33										
34	yes	yes	partial							
35	yes	yes	no							