
From: Zelasko, Elizabeth (FTA)
To: 'Miyamoto, Faith'; 'Zaref, Amy'
CC: Bausch, Carl (FTA)
Sent: 6/3/2010 12:35:37 PM
Subject: Admin FEIS Items
Attachments: Outdoor Circle - Loy 299022R_FCedits2 (2)_ez.doc; Servco Pacific - Lam Carol 299122R_AQedits2.doc; Uechi.337646 - THedits2.doc

Hello Faith and Amy,

I wanted pass on some additional comments on the document before I lose track of them.

- (1) We have not received the preface of the administrative FEIS. We had concerns about the language in that text and would like to see a revision soon.
- (2) FTA has also not yet received the addendums to the technical reports. Could you send those to use today?
- (3) Chris is reviewing the Section 4(f) chapter. However, one item that I did not see mentioned in the write up on the Veterans Memorial was a discussion of vegetation removal at that site. Ray Sukys recalls being told that trees would need to be removed. The 4(f) discussion should mention the tree removal. I sent his comments on earlier this afternoon.
- (4) We have been reviewing the mitigation table. We anticipate that this table would accompany any future ROD for the project. We would like the table to include the mitigation that would be included in the design criteria guidelines. For example, there is additional text at the end of the Visual Resources Chapter that is mitigation, but it is not in the mitigation table.
- (5) In reviewing the Outdoor Circle Comment letter, I noticed that language in the mitigation table on trees, T-1 through T-3, is not as specific as included in the PA. The letter also referenced consulting with the HDOT landscape architect for the project. It did not seem to be consistence with the mitigation table's related mitigation on Page 4.

In response to your comments on the letters.

I went ahead and accepted the changes on the Servco letter. Please see comments that need some more explanation.

The letters with TCC review were sent prematurely by me. We hope to have additional comments to you on that letter by tomorrow morning.

We found the Dale Evans, K Kupukaa, K Faulker, the Matson letters are fine. I will take a look the Native Hawaiian Legal over the weekend and get other folks to assist with reviewing the letters you sent this morning.

PA

Below is a summary of a discussion I had with Pua this afternoon on the PA. These are the concerns she mentioned.

- (1) In reviewing the provisions on Historic Districts, the language in the PA relies on a City zoning "overlay districts" to preserve individual groupings of historic and cultural resources through the application of architectural and other design guidelines and standards for developments surrounding them. Overlay districts already established include Chinatown, Merchant Street, and the Hawaii Capital civic center areas. This language is included in a whereas clause on page 4. However, the TOD zoning ordinance has language that it overrides any other zoning ordinance. The SHPO is concerned that the TOD zoning ordinance removes protections to the historic districts afforded through the zoning overlays.
- (2) The SHPO also has some concerns about reinternment responsibilities for discoveries of Native Hawaiian burials. In the PA there are three options for deciding how to mitigate the disturbance of Native Hawaiian burials. First, the burial could remain in place and the column would be relocated. Second the burial could be reentered within the project boundaries near where the burial was discovered or lastly, it could be reentered at a location offsite. What has happened in the past, that the SHPO is concerned about, is that the responsibility of

identifying a suitable location for a burial falls on the SHPD. The SHPO wants to make sure that the PA clearly identifies the City as having that responsibility with language along the lines that it is the City's responsibility to identify a relocation site that is acceptable to the OIBC. This language would need to be added to two sections of the PA; Stipulation III.D.2 and Stipulation XI.C.

- (3) As discussed previously, the SHPO would like some assistance from the City with the workload/staffing issues associated with the PA. One proposal is establishing a Certified Local Government. Part of this request is related to pressure from the SHPD being under review by the National Park Service

I will be out of the office tomorrow. Please call my cell at 202-841-4912 if you have any questions.

Liz

Elizabeth Zelasko
Federal Transit Administration
Office of Planning and Environment
elizabeth.zelasko@dot.gov
(202) 366-0244