
From: Kehau Abad
To: Miyamoto, Faith
CC: Kawika McKeague; taahine.hina@gmail.com; shad kane; kehaulanikruse@msn.com
Sent: 10/13/2009 4:33:18 PM
Subject: RE: Quick question on PA item III(B)(1)

Mahalo nui, Faith.

-----Original Message-----

From: Miyamoto, Faith [mailto:fmiyamoto@honolulu.gov]
Sent: Tuesday, October 13, 2009 4:32 PM
To: Kehau Abad
Subject: FW: Quick question on PA item III(B)(1)

Hi Kehau -

Sorry, I meant to call you today. This edit was inadvertently omitted. It will be added in. See you tomorrow.

Faith

-----Original Message-----

From: Kehau Abad [mailto:keabad@ksbe.edu]
Sent: Tuesday, October 13, 2009 6:16 AM
To: Faith Miyamoto (Honolulu DTS; Spurgeon, Lawrence
Cc: Kawika McKeague; taahine.hina@gmail.com; shad kane; kehaulanikruse@msn.com
Subject: Quick question on PA item III(B)(1)

Aloha e Faith and Lawrence,

Just a simple question that I hope you folks might be able to answer: In item III.B.1. was there an inadvertent omission of survey measures to be applied to areas where utilities will need to be relocated? Currently the language includes survey measures (listed in III.C.) to be applied to the locations of each planned column, substation, and traction power substation--without mention of areas where utilities will be relocated.

When you have a chance, please let me know whether the language was purposeful.

Mahalo nui,
Kehau

NOTICE: This communication and any attachments ("this message") may contain confidential information for the sole use of the intended recipient(s). Any unauthorized use, disclosure, viewing, copying, alteration, dissemination or distribution of, or reliance on this message is strictly prohibited. If you have received this message in error, or you are not an authorized recipient, please notify the sender immediately by replying to this message, delete this message and all copies from your e-mail system and destroy any printed copies.

AR00125439