
Draft

**Archaeological Inventory Survey Report
For City Center (Section 4) of the
Honolulu High-Capacity Transit Corridor Project,
Kalihi, Kapālama, Honolulu, and Waikīkī Ahupua‘a,
Honolulu (Kona) District, Island of O‘ahu
TMK [1] 1-2, 1-5, 1-7, 2-1, 2-3 (Various Plats and Parcels)**

Volume I

**Prepared for
The City and County of Honolulu
and
The Federal Transit Administration**

**On Behalf of
PB Americas, Inc.**

**Prepared by
Hallett H. Hammatt, Ph.D.**

**Cultural Surveys Hawai‘i, Inc.
Kailua, Hawai‘i
(Job Code: KALIHI 23)**

April 2013

**O‘ahu Office
P.O. Box 1114
Kailua, Hawai‘i 96734
Ph.: (808) 262-9972
Fax: (808) 262-4950**

www.culturalsurveys.com

**Maui Office
1860 Main St.
Wailuku, Hawai‘i 96793
Ph: (808) 242-9882
Fax: (808) 244-1994**

Management Summary

| | |
|--|---|
| Reference | Archaeological Inventory Survey Report* for City Center (Section 4) of the Honolulu High-Capacity Transit Corridor Project, Kalihi, Kapālama, Honolulu, and Waikīkī Ahupua'a, Honolulu (Kona) District, Island of O'ahu, TMK [1] 1-2, 1-5, 1-7, 2-1, 2-3 (Various Plats and Parcels) (Hammatt 2013) |
| Date | April 2013 |
| Project Number | Cultural Surveys Hawai'i, Inc. (CSH) Job Code: KALIHI 23 |
| Investigation Permit Number | The fieldwork for this archaeological inventory survey (AIS) was carried out under annual archaeological permit numbers 11-17, 12-04, and 13-06 issued by the Hawai'i State Historic Preservation Division/ Department of Land and Natural Resources (SHPD/DLNR) per Hawai'i Administrative Rules (HAR) Chapter 13-282. |
| Project Location and AIS Study Area | The Honolulu High-Capacity Transit Corridor Project (HHCTCP) extends approximately 23 miles (37.0 km) from Kapolei in the west to the Ala Moana Center in the east. The City Center AIS focuses on the eastern-most 4.3 miles (6.9 km) of the overall HHCTCP area. This AIS study area includes all of City Center (Section 4) and the eastern-most portion of Airport (Section 3) of the HHCTCP. The AIS study area is depicted on the 1998 Honolulu U.S.G.S. 7.5-minute topographic quadrangle. |
| Agencies | Honolulu Authority for Rapid Transportation (HART) of the City and County of Honolulu (City); SHPD; Federal Transit Administration (FTA) |
| Land Jurisdiction | State, City, and Private. The study area, constituting all of the HHCTCP Section 4 (City Center) and the eastern portion of HHCTCP Section 3 (Airport), is primarily located within existing road rights-of-way owned by the State of Hawai'i or the City and County of Honolulu, including Dillingham Boulevard, Ka'aahi Street, Nimitz Highway, Ala Moana Boulevard, Halekauwila Street, Queen Street, and Kona Street. Many of the support facilities along the project corridor are currently located on adjacent privately-owned lands. |
| Funding | FTA, City |
| Project Description and Related Ground Disturbance | The project purpose is to provide high-capacity rapid transit in the highly congested east-west transportation corridor between Kapolei and Ala Moana Center via a fixed guideway rail transit system. In addition to the guideway, the project will require construction of transit stations and ancillary support facilities. Nine proposed transit stations are within the City Center AIS study area, including: 1) Middle Street Transit Center Station; 2) Kalihi Station; 3) Kapālama Station; 4) Iwilei Station; 5) Chinatown Station; 6) Downtown Station; 7) Civic Center Station; 8) Kaka'ako Station; and 9) Ala Moana Center Station. An additional component of the City Center AIS study area is comprised of a utility relocation corridor that extends, from west to east, from Richard Street along Ala Moana Boulevard, up Punchbowl Street, |

| | |
|--|--|
| | <p>along Pohukaina Street and up Cooke Street to Halekauwila Street, where it merges with the guideway alignment. Project construction will also require relocation of existing utility lines within the project corridor that conflict with the proposed project design. Minimally, land-disturbing activities would include grading of facility locations and excavations for guideway column foundations, subsurface utility relocation and installation, and station and ancillary facility foundation construction. The vast majority of the area of disturbance will be due to utility relocation and road widening.</p> |
| <p>Area of Potential Effect and Survey Acreage</p> | <p>The HHCTCP area of potential effect for archaeological cultural resources is defined in the HHCTCP Programmatic Agreement Final – January 2011 (PA) (Stipulation III.A.1.) as all areas of direct ground disturbance. For the City Center AIS study area (all of Section 4 and the eastern portion of Section 3), HHCTCP project engineers estimate that the project’s area of direct ground disturbance is approximately 604,289 square feet (or 13.87 acres). These 13.87 acres are the survey area for this AIS investigation.</p> |
| <p>Historic Preservation Regulatory Context</p> | <p>Due to federal (FTA) funding and the use of federal (U.S. Navy) lands (in Section 3), this project is a federal undertaking, requiring compliance with Section 106 of the National Historic Preservation Act, the National Environmental Policy Act, and Section 4(f) of the Department of Transportation Act. Through the Section 106 historic preservation review process, the project’s lead federal agency, FTA, has determined that the project will have an adverse effect on historic properties currently listed, or eligible for listing, on the National Register of Historic Places (National Register). The Hawai’i State Historic Preservation Officer (SHPO) concurred with this undertaking effect determination (refer to the project’s PA for further documentation).</p> <p>To mitigate the undertaking’s potential adverse effect, a PA was executed January 18, 2011, with FTA, Hawai’i SHPO, the United States Navy, and the Advisory Council on Historic Preservation as signatories, and the City as an invited signatory. PA Stipulation III requires that an archaeological inventory survey plan (AISP) be prepared and approved by the SHPD for each of the four HHCTCP construction sections.</p> <p>An AISP for City Center (Hammatt et al. 2011) was prepared to fulfill PA Stipulation III and was accepted in the SHPD Section 106 review letter of October 25, 2011 (Log No. 2011.2379, Doc No. 1110NN08). The AISP defines the scope of work and details the proposed methods and sampling strategy for this AIS, in accordance with the requirements for an AISP stated in HAR Chapter 13-275-5(c).</p> <p>Subsequently, consideration was given to an alternate site (Alternate A) for the Kaka’ako Station located approximately 50 m northeast (<i>mauka</i>) of the Kaka’ako Station location addressed in the Hammatt et al. (2011) AISP for City Center. This alternate station site, and associated minor changes to the immediately adjacent guideway alignment, were addressed in an Addendum AISP (Hammatt et al. 2013). The Addendum AISP was accepted in the</p> |

| | |
|------------------------------------|---|
| | <p>SHPD Section 106 review letter of March 1, 2013 (Log No. 2013.1958, Doc. No. 1302SL28).</p> <p>Following the approved City Center AISP (Hammatt et al. 2011), as amended in the City Center AISP Addendum (Hammatt et al. 2013), the City Center AIS investigation was completed. This AIS report was prepared in consideration of the <i>Secretary of the Interior's Standards and Guidelines for Archaeology and Historic Preservation</i> and to support the project's PA and Section 106 compliance. This AIS investigation also supports the project's historic preservation review under Hawai'i Revised Statutes (HRS) Chapter 6E-8 and HAR Chapter 13-275 governing procedures for historic preservation review for governmental projects, and HAR Chapter 13-276 governing standards for archaeological inventory surveys and reports.</p> <p>Following HAR Chapter 13-300 and HRS Chapter 6E-43, identified human skeletal remains were treated in consultation among SHPD, the City, the O'ahu Island Burial Council (OIBC), and cultural descendants from the area.</p> <p>A "<i>Consultation Protocol for Iwi Kūpuna Discovery During the Archaeological Inventory Survey for the City Center (Construction Phase 4) of the HHCTCP</i>" (Hammatt 2011) (reviewed and approved by FTA, per the project's PA requirements) was developed during the City Center AISP preparation to facilitate consultation regarding the treatment of identified human skeletal remains in the City Center.</p> <p>This investigation focused exclusively on archaeological cultural resources. Identification of resources and Hawai'i Register of Historic Places (Hawai'i Register) and National Register eligibility recommendations for the project area's architectural cultural resources, including historic roads, bridges, and structures, was conducted as a separate effort in association with the project's Final Environmental Impact Statement (FEIS) (USDOT/FTA and City/DTS 2010).</p> |
| <p>Document Purpose</p> | <p>This AIS investigation was conducted to identify, document, and make Hawai'i and National Register eligibility recommendations for the study area's archaeological cultural resources¹. In consultation with the SHPD, this investigation was also designed to fulfill the State requirements for an AIS per HAR Chapter 13-276. The report includes an undertaking-specific effect recommendation and treatment/mitigation recommendations for the identified archaeological cultural resources recommended Hawai'i/National Register-eligible. This document is intended to support project-related historic preservation consultation among stake-holding federal and state agencies, interested Native Hawaiian groups and individuals, and community groups.</p> |
| <p>Summary of Fieldwork Effort</p> | <p>Fieldwork consisted of pedestrian inspection, ground penetrating radar (GPR) survey, and an archaeological subsurface testing program comprised of machine-assisted test excavations and geotechnical borings. Pedestrian inspection of the City Center AIS study area was carried out on three</p> |

| | |
|---|--|
| | <p>separate occasions: 1) in May 2011 to support the preparation of the City Center AISP (Hammatt et al. 2011); 2) in November 2011 when the City Center AIS fieldwork began; and, 3) in February 2013 when the AIS subsurface testing program was completed. Two hundred fifty (250) test excavations (232 original, 9 abandoned, and 27 added test excavations) were documented as part of the City Center AIS (8% more than the 232 test excavations specified as the initial sampling strategy in the City Center AISP). Seven geotechnical borings were carried out under archaeological supervision to investigate specific stratigraphic distributions and boundaries. Each test excavation was surveyed with GPR before its excavation and the post-processed GPR results were compared to the actual excavation results. Fieldwork was carried out under the supervision of Matt McDermott, M.A., and Hallett H. Hammatt, Ph.D., (principal investigators) intermittently between November 2011 and February 2013. Field staff included 33 CSH archaeologists: Jennifer Bellville, Doug Borthwick, Kelly Burke, Rebecca Choi, Erin Coward, Ellen DeLeeuw, Brittany Enanoria, Randy Groza, Alex Hazlett, Nifae (Mana) Hunkin, Kulani Jones, Andrea Kay, Nigel Kingsbury, Fred LaChance, Mandy Lawson, Kimi Matsushima, Leandra Medina, Abbey Mierzejewski, Veronica Morriss, Connie O'Hare, Malina Reveal, Michael (Pablo) Rivera, Craig Schiffers, David Shideler, Andrew Soltz, Ena Sroat, Cary Stine, Doug Thurman, Jon Tulchin, Todd Tulchin, Tyler Turan, Josephine Yucha, and Trevor Yucha. Fieldwork required approximately 6300 person-hours or 785 person-days to complete.</p> |
| <p>Cultural Resources / Historic Properties² Identified and Determined / Recommended Eligibility to the National / Hawai'i Registers³</p> | <p>Eighteen (18) archaeological cultural resources were identified within, or immediately adjacent to, the City Center AIS study area. Twelve of these resources were previously identified and documented, and some have already had their Hawai'i and/or National Register-eligibility determined. Where this eligibility has not yet been determined for these previously identified cultural resources, eligibility recommendations are given based on available information. The remaining six were newly identified and documented during the City Center AIS and their Hawai'i and National Register-eligibility is presented here as a recommendation. All 18 archaeological cultural resources have been assigned Hawai'i State Inventory of Historic Properties (SIHP) numbers, all with the prefix 50-80-14. They are listed below roughly from west to east. The bold SIHP #s are newly identified as part of the City Center AIS, and the associated test excavations are listed:</p> <p>SIHP #-7425, buried single <i>imu</i> (earth oven) feature, recommended eligible to both the Hawai'i and National Registers under Criterion D. Test Excavation 20 (T-020)</p> <p>SIHP #-7426, buried agricultural sediments, recommended eligible to both the Hawai'i and National Registers under Criterion D. T-054-082, and T-085</p> |

| | |
|--|--|
| | <p>SIHP #-5368, buried remnants of the Kuwili Fishpond, previously determined eligible to both the Hawai'i and National Registers under Criterion D. T-088, 091, 092, 093, and 094</p> <p>SIHP #-5966⁴, buried remnants of the Kawa Fishpond, previously determined eligible to both the Hawai'i and National Registers under Criterion D. T-095 within fishpond boundaries but no fishpond sediments observed.</p> <p>SIHP #-7427, buried historic building foundations/walls and the underlying culturally enriched sediments, as well as one human talus bone from overlying fill deposits, recommended eligible to both the Hawai'i and National Registers under Criterion D. T-096-101</p> <p>SIHP #-7428, buried culturally-enriched sand A-horizon and historic warehouse foundation, recommended eligible to both the Hawai'i and National Registers under Criterion D. T-119, 119A, 120, 120A, 120B</p> <p>SIHP #-2963, buried pond sediments containing historic artifacts and buried culturally enriched sand A-horizon (in the current City Center AIS study area), also includes seven human burials as described in the adjacent Makai Parking Garage monitoring report (Clark 1987), recommended eligible to the Hawai'i Register under Criteria D and E and eligible to the National Register under Criterion D. T-122, 123, and 124</p> <p>SIHP #-7124, buried historic building remnants, previously determined eligible to the Hawai'i Register under Criteria A and D, recommended eligible to the Hawai'i and National Register under Criterion D. T-132</p> <p>SIHP #-7189, buried fill layer containing burnt historic refuse, previously determined eligible to the Hawai'i Register under Criteria A and D, recommended eligible to the Hawai'i and National Register under Criterion D. T-130, 132, 134, 138, 140, 231A, 232, and 232A</p> <p>SIHP #-7190, buried salt pan remnants, previously determined eligible to the Hawai'i Register under Criteria A and D, recommended eligible to the National Register under Criterion D. T-229 and T-230</p> <p>SIHP #-7197⁵, buried late pre-Contact/early post-Contact cultural layer previously determined eligible to the Hawai'i Register under Criterion A and D and recommended eligible to the National Register under Criterion D. Not observed in current AIS, but potentially affected by project construction due to close proximity</p> <p>SIHP #-5820, burials/human skeletal remains and a buried culturally-enriched sand A-horizon, recommended eligible to the Hawai'i Register under Criterion D and E and eligible to the National Register under Criterion D. T-141, 142, 145, 146A, 150, 151, 151A</p> <p>SIHP #-7429, a light buried culturally enriched sand A-horizon, includes a human cranial fragment, recommended eligible to both the Hawai'i and</p> |
|--|--|

| | |
|--|--|
| | <p>National Register of Historic Places under Criterion D. T-167, 168, 168A, 168B, 169, 170, and 170A</p> <p>SIHP #-6856, buried remnants of Kolowalu Fishpond previously determined eligible to the Hawai‘i Register under Criterion D, recommended eligible to the National Register under Criterion D. T-181-185</p> <p>SIHP #-6636, buried remnants of Kewalo wetland sediments, previously determined eligible to the Hawai‘i Register under Criteria A and D, recommended eligible to the National Register under Criterion D. T-186-193, 195, 196, 198-200, 202, 202A, 203, 205, 207, 208, 210–212, 214, 219, and 220</p> <p>SIHP #-7430, buried historic privy remnant, recommended eligible to both the Hawai‘i and National Registers under Criterion D. T-202</p> <p>SIHP #-7193, buried historic refused-enriched fill deposit, previously determined ineligible to the Hawai‘i Register, and recommended ineligible to the National Register. T-214</p> <p>SIHP #-2918, buried culturally enriched sand A-horizon with human skeletal remains/burials, also includes historic railway tracks, recommended eligible to the Hawai‘i Register under Criteria D and E and eligible to the National Register under Criterion D. T-226A, B, C, and D, T-227 and 227A</p> |
| <p>Identified Human Skeletal Remains / Burials, Ethnicity, and Treatment Decision Jurisdiction</p> | <p>Seven City Center AIS test excavations, located within four archaeological cultural resources (SIHP #-s-7427, -5820, -7429, and -2918—see above), documented human skeletal remains. These ranged from previously disturbed single bones within imported fill deposits, to complete, previously undisturbed flexed individuals in Jaucas sand deposits. In all cases, the documentation, consultation, and treatment of the remains followed the City Center AISP (Hammatt et al. 2011) and the project’s “<i>Consultation Protocol for Iwi Kūpuna Discovery During the Archaeological Inventory Survey for the City Center (Construction Phase 4)</i>” (Hammatt 2011). This included immediate notification and consultation with the O‘ahu Island Burial Council (OIBC) Kona representatives, SHPD, HART representatives, and project engineers. Consultation regarding the ethnicity, treatment decision jurisdiction (SHPD or OIBC), and the applicability of Hawai‘i State Burial Law (HRS Chapter 6E-43 and HAR Chapter 13-300) is currently underway between SHPD and HART. Consultation with potential and recognized cultural descendants to the remains is on-going, and will likely culminate in a City Center burial treatment plan (per HAR Chapter 13-300).</p> |
| <p>Cultural Consultation Effort</p> | <p>Following the project’s PA requirements (Stipulation III. B. and C.) and the AIS requirements of HAR Chapter 13-276, cultural consultation was an important component of this AIS report preparation. During the City Center AIS fieldwork, and subsequently during the preparation of this AIS report (throughout late 2012 and early 2013), CSH and HART consulted frequently with the OIBC and SHPD regarding the progress and results of the AIS</p> |

| | |
|---|---|
| | <p>investigation. Presentations to the OIBC at their monthly August, September, October, November, and December 2012, and January and February 2013, meetings included updates on the City Center AIS results and the status of AIS report preparation. During this same time period (later 2012 and early 2013) CSH met twice monthly with SHPD to discuss the progress and results of the AIS investigations for City Center. During these discussions in early 2013, and in follow up emails, the significance of identified archaeological cultural resources was discussed, along with project effect and mitigation measure recommendations for the City Center AIS report. On February 20th, 2013, CSH and HART met with the Office of Hawaiian Affairs (OHA) and updated their archaeological and cultural staff on the City Center AIS results. During this OHA consultation meeting, CSH staff described the archaeological cultural resources documented, along with their significance and proposed mitigation measures. Additionally, CSH presented updates of the City Center AIS investigation at several public meetings (November 8 and 27, 2012, December 17, 2012, and February 7, 2013) arranged to consult with, and seek treatment preferences from potential lineal or cultural descendants to the human skeletal remains identified during the City Center AIS.</p> |
| <p>Effect Recommendation</p> | <p>As noted above, through the project's Section 106 historic preservation review process, the project has already been determined to have an "adverse effect" on historic properties. The AIS investigation results are in keeping with this federal effect determination because Section 4 will potentially adversely affect portions of the eighteen archaeological cultural resources listed above. Under Hawai'i State historic preservation review legislation, a project-specific effect recommendation of "effect, with proposed mitigation commitments" is appropriate. The recommended mitigation measures will reduce the project's effect on the archaeological cultural resources within the City Center APE.</p> |
| <p>Mitigation⁶ Recommendations</p> | <p>Based on the results of this AIS investigation, proposed archaeological cultural resource mitigation measures for the City Center (Section 4) construction are three-fold:</p> <ol style="list-style-type: none"> 1) Preparation and implementation of a City Center burial treatment plan per the requirements of HRS Chapter 6E-43 and HAR Chapter 13-300. 2) Preparation and implementation of a City Center archaeological monitoring program, per the requirements of HAR Chapter 13-279. The archaeological monitoring program will help identify and properly treat any additional archaeological deposits and/or burials/human skeletal remains during City Center section construction. The specifics of the archaeological monitoring program will be codified in an archaeological monitoring plan for the review and approval of the SHPD prior to construction work in City Center. 3) Preparation and implementation of an archaeological data recovery |

| | |
|--|--|
| | <p>program for SIHP #s -7428, -2963, -5820, and -2918. The data recovery research design and methods will be presented in a data recovery plan for SHPD review and approval. The appropriate completion of archaeological data recovery work will be verified by SHPD prior to initiation of City Center construction in the vicinity.</p> <p>This mitigation is consistent with the project's PA (Stipulations III D. and E.) and HAR Chapter 13-275.</p> |
|--|--|

*The City Center AIS report is composed of 10 volumes. Volume I is the main document; Volume II presents the cultural/historical/archaeological background research; Volume III contains pertinent land court documents; Volumes IVA, IVB, IVC, and IVD are the test excavation summaries; Volume V is the laboratory results; Volumes VIA and VIB are ground penetrating radar (GPR) results.

¹In historic preservation parlance, cultural resources are the physical remains and/or geographic locations that reflect the activity, heritage, and/or beliefs of ethnic groups, local communities, states, and/or nations. Generally, they are at least 50 years old, although there are exceptions, and include: buildings and structures; groupings of buildings or structures (historic districts); certain objects; archaeological artifacts, features, sites, and/or deposits; groupings of archaeological sites (archaeological districts); and, in some instances, natural landscape features and/or geographic locations of cultural significance.

²Historic properties, as defined in 36 CFR 800.16, are any prehistoric or historic districts, sites, buildings, structures, or objects included in, or eligible for inclusion in, the National Register of Historic Places maintained by the Secretary of the Interior. This includes artifacts, records, and remains that are related to and located within such properties, as well as properties of traditional religious and cultural importance to an Indian tribe or Native Hawaiian organization and that meet the National Register criteria. Determinations of eligibility are generally made by a federal agency official in consultation with the SHPO. Under federal legislation, a project's (undertaking's) potential effect on historic properties must be evaluated and potentially mitigated. Under Hawai'i State historic preservation legislation, historic properties are defined as any cultural resources that are 50 years old, regardless of their historic/cultural significance under state law, and a project's effect and potential mitigation measures are evaluated based on the project's potential impact to "significant" historic properties (those historic properties determined eligible, based on their integrity and historic/cultural significance in terms of established significance criteria, for inclusion in the Hawai'i Register of Historic Places). Determinations of eligibility to the Hawai'i Register result when a state agency official's historic property "significance assessment" is approved by SHPD, or when SHPD itself makes an eligibility determination for a historic property.

³Cultural resource significance is evaluated and expressed as eligibility for listing on the National and/or Hawai'i Register. To be considered eligible for listing on the National and/or Hawai'i Register a cultural resource should possess integrity of location, design, setting, materials, workmanship, feeling, and association, and meet one or more of the following broad cultural/historic significance criteria: "A" reflects major trends or events in the history of the

state or nation; “B” is associated with the lives of persons significant in our past; “C” is an excellent example of a site type/work of a master; “D” has yielded or may be likely to yield information important in prehistory or history; and, “E” (Hawai'i Register only) has traditional cultural significance to an ethnic group, includes religious structures and/or burials.

⁴Although test excavation 95 was excavated within the footprint of SIHP #50-80-14-5966, Kawa Fishpond, actual pond sediments or structural remains were not observed during the City Center AIS fieldwork, only fill sediments related to the pond's infilling. Because the City Center construction will extend through Kawa Fishpond, there is potential for the project to affect this archaeological cultural resource. Accordingly, discussion and evaluation of significance, project effect, and project mitigation related to SIHP #50-80-14-5966 are included in this City Center AIS report.

⁵Although SIHP #50-80-14-7197 was not observed in the City Center AIS, because it was previously identified and documented (Pammer et al. 2011) in close proximity to the City Center APE (the Civic Center Station), and because the geographic extent of #-7197 is only generally understood, it is possible portions of #-7197 will be affected by the construction of City Center Section 4. Accordingly discussion and evaluation of significance, project effect, and project mitigation related to #-7197 are included in this City Center AIS Report.

⁶Under Hawai'i State historic preservation review legislation, there are five potential forms of historic preservation mitigation: A) Preservation; B) Architectural Recordation; C) Archaeological Data Recovery (which includes archaeological monitoring); D) Historical Data Recovery; and E) Ethnographic Documentation (HAR Chapter 13-275-8).

Table of Contents

| | |
|---|-----------|
| Management Summary | i |
| Section 1 Introduction | 1 |
| 1.1 City Center AIS Background..... | 1 |
| 1.2 Historic Preservation Regulatory Context..... | 10 |
| 1.1 Overview of Proposed Project Construction..... | 12 |
| 1.1.1 Fixed Guideway and Transit Stations..... | 13 |
| 1.1.2 Support Facilities..... | 13 |
| 1.1.3 Ancillary Impacts..... | 13 |
| 1.1.4 Summary of Subsurface Impacts..... | 14 |
| 1.2 Division of the City Center AIS Study Area into Geographic Zones..... | 15 |
| 1.3 City Center AIS Report Organization..... | 19 |
| 1.4 Environmental Setting..... | 23 |
| 1.4.1 Natural Environment..... | 23 |
| 1.4.2 Built Environment..... | 23 |
| Section 2 AIS Research Design and Methods..... | 26 |
| 2.1 Research Design..... | 26 |
| 2.2 Research Focus..... | 28 |
| 2.3 Environmental and Cultural/Historical/Archaeological Background Research..... | 29 |
| 2.4 GPR Methods Investigation for the City Center AISP Preparation..... | 29 |
| 2.5 Consultation..... | 33 |
| 2.6 Field Methods..... | 33 |
| 2.6.1 Personnel and Scheduling..... | 33 |
| 2.6.2 Pedestrian Survey..... | 34 |
| 2.6.3 GPR Survey..... | 34 |
| 2.6.4 Test Excavation Methods..... | 36 |
| 2.6.5 Geotechnical Core Methods..... | 38 |
| 2.6.6 Sampling..... | 39 |
| 2.6.7 Photography..... | 40 |
| 2.6.8 Cultural Monitoring..... | 40 |
| 2.7 Laboratory Methods..... | 41 |
| 2.7.1 Traditional Hawaiian Artifacts..... | 41 |
| 2.7.2 Historic Artifacts..... | 41 |
| 2.7.3 Bulk Sediment Samples..... | 41 |
| 2.7.4 Vertebrate Material..... | 41 |
| 2.7.5 Invertebrate Material..... | 42 |
| 2.7.6 Wood Taxa Identification..... | 42 |
| 2.7.7 Radiocarbon Dating..... | 42 |
| 2.7.8 EDXRF Analysis..... | 42 |
| 2.7.9 Pollen/Micro Charcoal Particle Analysis..... | 43 |
| 2.8 AIS Report..... | 43 |
| 2.8.1 Report Contents..... | 43 |
| 2.8.2 Cultural Resource Numbers and Feature Designations..... | 43 |
| 2.8.3 Cultural Resource Significance Assessments..... | 44 |

| | |
|---|------------|
| Section 3 Sampling Strategy..... | 45 |
| 3.1 Excavation Sampling Strategy..... | 45 |
| 3.2 Kaka'ako Station Relocation..... | 48 |
| 3.3 Additional and Abandoned Testing..... | 53 |
| 3.3.1 Decisions for Additional AIS Testing at the Location of an Archaeological Discovery..... | 53 |
| 3.3.2 Decisions for Additional AIS Testing at Other Areas..... | 55 |
| 3.3.3 Additional Testing Performed..... | 56 |
| 3.3.4 Abandoned Testing..... | 59 |
| 3.4 Excavation Sampling Strategy—Stations..... | 60 |
| 3.5 Excavation Sampling Strategy—Guideway Column Foundation Locations and Utility Relocations..... | 113 |
| Section 4 Results..... | 161 |
| 4.1 Pedestrian Inspection..... | 161 |
| 4.2 Excavation Summaries..... | 161 |
| 4.3 Archaeological Cultural Resource Descriptions..... | 169 |
| 4.3.1 SIHP # 50-80-14-2918..... | 173 |
| 4.3.2 SIHP # 50-80-14-2963..... | 192 |
| 4.3.3 SIHP # 50-80-14-5368..... | 209 |
| 4.3.4 SIHP # 50-80-14-5820..... | 220 |
| 4.3.5 SIHP # 50-80-14-5966..... | 246 |
| 4.3.6 SIHP # 50-80-14-6636..... | 253 |
| 4.3.7 SIHP # 50-80-14-6856..... | 265 |
| 4.3.8 SIHP # 50-80-14-7124..... | 274 |
| 4.3.9 SIHP # 50-80-14-7189..... | 290 |
| 4.3.10 SIHP # 50-80-14-7190..... | 297 |
| 4.3.11 SIHP # 50-80-14-7193..... | 305 |
| 4.3.12 SIHP # 50-80-14-7197..... | 312 |
| 4.3.13 SIHP # 50-80-14-7425..... | 315 |
| 4.3.14 SIHP # 50-80-14-7426..... | 322 |
| 4.3.15 SIHP # 50-80-14-7427..... | 338 |
| 4.3.16 SIHP # 50-80-14-7428..... | 368 |
| 4.3.17 SIHP # 50-80-14-7429..... | 394 |
| 4.3.18 SIHP # 50-80-14-7430..... | 410 |
| 4.4 Place Names, <i>Wahi Pana</i> , and Traditional Cultural Properties..... | 424 |
| 4.4.1 Introduction to a Further Review of Place Names, <i>Wahi Pana</i> , and TCPs..... | 424 |
| 4.4.2 Kaluaopalena, Kalihi..... | 425 |
| 4.4.3 Human Bones in Chinatown..... | 429 |
| 4.4.4 Pu'unui, (Kaka'ako) Honolulu..... | 434 |
| 4.4.5 'Ulu or Breadfruit..... | 437 |
| 4.4.6 Archaeological Finds Relating to <i>Wahi Pana</i> and Possible Traditional Cultural Properties..... | 438 |
| Section 5 Consultation..... | 447 |
| 5.1 AIS Plan (AISP) Consultation..... | 447 |
| 5.1.1 Burial Consultation Protocol..... | 448 |
| 5.2 AIS Field Work Consultation..... | 448 |
| 5.2.1 Community Meetings, Expos, Fairs, and Other Events..... | 449 |
| 5.2.2 O'ahu Island Burial Council (OIBC)..... | 451 |

| | |
|---|------------|
| 5.2.3 SHPD Consultation..... | 456 |
| 5.2.4 Office of Hawaiian Affairs (OHA)..... | 459 |
| 5.3 Descendant Identification and Consultation..... | 461 |
| 5.3.1 Early Consultation | 461 |
| 5.3.2 On-going Treatment Consultation | 465 |
| 5.4 AIS Cultural Monitoring..... | 469 |
| 5.5 Examples of AIS Consultation Among Project engineers, HART, and SHPD to Avoid Archaeological Cultural Resources..... | 470 |
| Section 6 Summary and Interpretation..... | 473 |
| 6.1 HHCTCP Background and Historic Preservation Regulatory Context | 473 |
| 6.2 The City Center Archaeological Inventory Survey Plan | 474 |
| 6.3 City Center AIS Fieldwork..... | 474 |
| 6.4 Division of the City Center AIS Study Area into Geographic Zones..... | 476 |
| 6.5 Identified Archaeological Cultural Resources | 476 |
| 6.5.1 Archaeological Cultural Resource Function..... | 479 |
| 6.6 Laboratory Results..... | 485 |
| 6.6.1 Summary of Traditional Hawaiian Artifacts..... | 485 |
| 6.6.2 Energy-Dispersive X-ray Fluorescence Analysis | 486 |
| 6.6.3 Summary of Historic Artifacts..... | 486 |
| 6.6.4 Faunal Analysis | 487 |
| 6.6.5 Analysis of Non-marine Mollusks | 488 |
| 6.6.6 Wood Taxa Analysis..... | 488 |
| 6.6.7 Radiocarbon Dating | 488 |
| 6.6.8 Pollen Analysis | 488 |
| 6.7 AISP Research Focus | 489 |
| 6.7.1 Settlement Transect | 489 |
| 6.7.2 Ground Penetrating Radar | 492 |
| 6.7.3 Pre-Contact and Pre-Fill/Land Reclamation Landforms | 493 |
| 6.7.4 Human-Induced Environmental Change..... | 509 |
| 6.7.5 Human Skeletal Remains..... | 545 |
| 6.8 Cultural Consultation Effort | 558 |
| 6.9 Completion of AIS Objectives..... | 559 |
| Section 7 Significance..... | 560 |
| Section 8 Project Effect and Mitigation Recommendations..... | 569 |
| 8.1 Project Effect | 569 |
| 8.2 Mitigation Recommendations..... | 570 |
| 8.3 Disposition of Materials..... | 571 |
| Section 9 References Cited | 572 |

List of Figures

| | |
|---|----|
| Figure 1. Aerial photograph (source: U.S.G.S. orthoimagery 2005) showing the entire HHCTCP corridor, from East Kapolei to Ala Moana Center, including station locations, with the City Center AIS study area called out in green..... | 2 |
| Figure 2. Portion of the 1998 Honolulu U.S.G.S. 7.5-minute topographic quadrangle showing the City Center alignment and related transit facilities..... | 3 |
| Figure 3. Tax Map Key 1-2 showing the western portion of the City Center AIS study area..... | 4 |
| Figure 4. Tax Map Key 1-5 showing the central portion of the City Center AIS study area | 5 |
| Figure 5. Tax Map Key 1-7 showing the central portion of the City Center AIS study area | 6 |
| Figure 6. Tax Map Key 2-1 showing the central portion of the City Center AIS study area | 7 |
| Figure 7. Tax Map 2-3 showing the eastern portion of the City Center AIS study area | 8 |
| Figure 8. Aerial photograph (source: U.S.G.S. orthoimagery 2005) showing the City Center AIS study area | 9 |
| Figure 9. Portion of the 1998 Honolulu U.S.G.S. 7.5-minute topographic quadrangle showing City Center’s 11 geographic zones along with the nine City Center Stations | 16 |
| Figure 10. Aerial photograph (source: U.S.G.S. orthoimagery 2005) with overlay of the Soil Survey of Hawai‘i (Foote et al. 1972), showing USDA soil types in the vicinity of the City Center AIS study area | 25 |
| Figure 11. U.S.G.S. 7.5-Minute Series Topographic Map, Honolulu (1998) Quadrangle, showing the locations of GPR survey areas investigated as part of the AISP GPR Methods Investigation (reported in Hammatt et al. 2011) | 31 |
| Figure 12. NRCS GPR Suitability Map for Hawai‘i showing the City Center AIS study area..... | 35 |
| Figure 13. Photograph of typical track excavator-assisted test excavation in progress (Test Excavation 227B at corner of Punchbowl and Pohukaina Steets)..... | 37 |
| Figure 14. Proposed AISP testing locations (232 test excavations) in the western portion of the City Center Corridor (from Hammatt et al. 2011) | 46 |
| Figure 15. Proposed AISP testing locations (232 test excavations) in the eastern portion of the City Center Corridor (from Hammatt et al. 2011) | 47 |
| Figure 16. Actual AIS testing locations (250 test excavations) in the western portion of the City Center corridor | 49 |
| Figure 17. Actual AIS testing locations (250 test excavations) in the eastern portion of the City Center corridor | 50 |
| Figure 18. Aerial photograph showing relocations of Kaka‘ako Station and alignment (base map: 2006 PB aerial photographs)..... | 51 |
| Figure 19. Aerial photograph showing transit realignment just southeast of the Kaka‘ako Station (base map: 2006 PB aerial photographs) | 52 |
| Figure 20. Middle Street Transit Center Station (Kamehameha Highway just east of Middle Street), aerial photograph showing overlay of transit center infrastructure (see following figures for details) and locations of proposed AISP and actual AIS test excavations | 65 |
| Figure 21. General view of Middle Street Transit Center Station, (<i>mauka</i>) Station Entrance Building location (subject of recent soil remediation work), view to north | 66 |
| Figure 22. General view of Middle Street Transit Center Station, western column foundations at Kamehameha Highway (Kalihi Stream in background at left), view to southwest..... | 66 |

| | |
|---|----|
| Figure 23. General view of Middle Street Transit Center Station, Station Ancillary Building location (present Gaspro buildings), view to southwest | 67 |
| Figure 24. General view of Middle Street Transit Center Station, eastern column foundations in median of Kamehameha Highway, view to southwest..... | 67 |
| Figure 25. Middle Street Transit Center Station, detail of column foundation layout at Kamehameha Highway, showing locations of proposed AISP and actual AIS test excavations..... | 68 |
| Figure 26. Middle Street Transit Center Station, detail of (<i>mauka</i>) Station Entrance Building (no test trenches at <i>mauka</i> Station Entrance Building due to prior soil remediation work); also note T-003, a test excavation at a column foundation that was abandoned | 69 |
| Figure 27. Middle Street Transit Center Station, detail of (<i>makai</i>) Station Ancillary Building showing locations of proposed AISP and actual AIS test excavations..... | 70 |
| Figure 28. Kalihi Station (Dillingham Boulevard just west of Mokauea Street), aerial photograph showing overlay of transit station infrastructure (see following figures for details) and locations of proposed AISP and actual AIS test excavations | 71 |
| Figure 29. General view of Kalihi Station, southeast side of (<i>makai</i>) Station Entrance Building, (parking lot and Salon Del Mar hair styling), view to southwest | 72 |
| Figure 30. General view of Kalihi Station, southwest side of (<i>makai</i>) Station Entrance Building, (parking lot and Dillingham Cafe), view to southwest | 72 |
| Figure 31. General view of Kalihi Station, column foundations location, middle of Dillingham Boulevard, view to northwest | 73 |
| Figure 32. General view of Kalihi Station, (<i>mauka</i>) Station Entrance Building (parking lot and 7-Eleven convenience store), view to northeast..... | 73 |
| Figure 33. Kalihi Station, detail of column foundation layout at Dillingham Boulevard showing locations of proposed AISP and actual AIS test excavations | 74 |
| Figure 34. Kalihi Station, detail of (<i>mauka</i>) Station Entrance Building showing locations of proposed AISP and actual AIS test excavations | 75 |
| Figure 35. Kalihi Station, detail of (<i>makai</i>) Station Entrance Building showing locations of proposed AISP and actual AIS test excavations | 76 |
| Figure 36. Kapālama Station (Dillingham Boulevard just east of Kokea Street and <i>makai</i> of Honolulu Community College), aerial photograph showing overlay of transit station infrastructure (see following figures for details) and locations of proposed AISP and actual AIS test excavations | 77 |
| Figure 37. General view of Kapālama Station, (<i>mauka</i>) Station Entrance Building location, (northwest side of Honolulu Community College campus, Kapālama Canal at upper left), view to northeast | 78 |
| Figure 38. General view of Kapālama Station, (<i>mauka</i>) Station Entrance Building, secondary <i>mauka</i> entry/exit location, view to northeast | 78 |
| Figure 39. General view of Kapālama Station, (<i>makai</i>) Station Entrance Building location (parking lot), view to southwest..... | 79 |
| Figure 40. General view of Kapālama Station, (<i>makai</i>) Station Entrance Building location (parking lot), view to southeast..... | 79 |
| Figure 41. Kapālama Station, detail of column foundation layout at Dillingham Boulevard showing locations of proposed AISP and actual AIS test excavations; note that no testing of the three station column foundations was conducted due to utilities..... | 80 |

| | |
|--|----|
| Figure 42. Kapālama Station, detail of (<i>mauka</i>) Station Entrance Building showing locations of proposed AISP and actual AIS test excavations | 81 |
| Figure 43. Kapālama Station, detail of (<i>makai</i>) Station Entrance Building showing locations of proposed AISP and actual AIS test excavations | 82 |
| Figure 44. Iwilei Station (<i>makai</i>) of Ka‘a‘ahi Street and Ka‘amahu Place), aerial photograph showing overlay of transit station infrastructure (see following figures for details) and locations of proposed AISP and actual AIS test excavations | 83 |
| Figure 45. General view of north side of Iwilei Station (parking lot and Nu‘uanu Auto Co.) from Dillingham Boulevard, view to south | 84 |
| Figure 46. General view of south side of Iwilei Station (Nu‘uanu Auto Co.), from across Ka‘amahu Place, view to north | 84 |
| Figure 47. General view of Iwilei Station, location of central column foundations (Da Kine’s Sports Bar at upper right, Ka‘a‘ahi Street at left), view to south..... | 85 |
| Figure 48. General view of Iwilei Station, location of southeastern straddle column foundations on Ka‘a‘ahi Street, view to northwest..... | 85 |
| Figure 49. Iwilei Station, detail of column foundation layout showing locations of proposed AISP and actual AIS test excavations..... | 86 |
| Figure 50. Iwilei Station, detail of Station Entrance Building showing locations of proposed AISP and actual AIS test excavations..... | 87 |
| Figure 51. Chinatown Station, aerial photograph showing overlay of transit station infrastructure (see following figures for details) and locations of proposed AISP and actual AIS test excavations..... | 88 |
| Figure 52. General view of Chinatown Station, Station Entrance Building location, view from <i>mauka</i> side of Nimitz Highway, view to northeast..... | 89 |
| Figure 53. General view of Chinatown Station, Station Entrance Building location, view from <i>mauka</i> /‘Ewa corner of Nimitz Highway and Kekaulike Street, view to north | 89 |
| Figure 54. General view of Chinatown Station, view of southern column foundation locations in median of Nimitz Highway, view to north | 90 |
| Figure 55. General view of Chinatown Station, view of infrastructure location and northern column foundation locations in median of Nimitz Highway, view to north | 90 |
| Figure 56. Chinatown Station detail of column foundation layout showing that no testing was conducted of the four column foundations, due to their location seaward of the former coastline and constraints | 91 |
| Figure 57. Chinatown Station detail of (<i>mauka</i>) Station Entrance Building and Station Ancillary Building layout showing locations of proposed AISP and actual AIS test excavations..... | 92 |
| Figure 58. Downtown Station (northwest of the intersection of Alakea Street and Nimitz Highway), aerial photograph showing overlay of transit station infrastructure (see following figures for details) and locations of proposed AISP and actual AIS test excavations..... | 93 |
| Figure 59. Downtown Station, (<i>mauka</i>) Station Entrance Building location, Pacific Guardian Center west plaza, view to northeast..... | 94 |
| Figure 60. Downtown Station, (<i>mauka</i>) Station Entrance Building location, Pacific Guardian Center west plaza, view to southwest | 94 |

| | |
|--|-----|
| Figure 61. Downtown Station, column locations in median of Nimitz Highway, (HECO facility at upper left) from <i>mauka</i> /'Ewa corner of Alakea Street and Nimitz Highway, view to west | 95 |
| Figure 62. Downtown Station, (<i>makai</i>) Station Entrance Building location and column location in median of Nimitz Highway, (HECO facility), from across Nimitz Highway, view to west | 95 |
| Figure 63. Downtown Station, detail of column foundation layout at Nimitz Highway location of actual AIS test excavations | 96 |
| Figure 64. Downtown Station, detail of (<i>mauka</i>) Station Entrance Building at <i>mauka</i> side of Nimitz Highway showing locations of proposed AISP and actual AIS test excavations | 97 |
| Figure 65. Downtown Station, detail of (<i>makai</i>) Station Entrance Building at <i>makai</i> side of Nimitz Highway showing that no testing was conducted at the (<i>makai</i>) Station Entrance Building due to its location seaward of the former shoreline and constraints | 98 |
| Figure 66. Civic Center Station (at Halekauwila Street just northwest of Keawe Street), aerial photograph showing overlay of transit station infrastructure (see following figures for details) and locations of proposed AISP and actual AIS test excavations..... | 99 |
| Figure 67. Civic Center Station location of <i>mauka</i> column foundations and infrastructure, Halekauwila Street at left, view to northwest | 100 |
| Figure 68. Civic Center Station location of <i>makai</i> column foundations, Halekauwila Street at right, view to northwest | 100 |
| Figure 69. Civic Center Station, (<i>makai</i>) Station Entrance Building location (note: repaved rectangles of recent archaeological test excavations), view to northwest | 101 |
| Figure 70. Civic Center Station, (<i>makai</i>) Station Entrance Building location (note: repaved rectangles of recent archaeological test excavations, Halekauwila Street at upper left), view to southeast..... | 101 |
| Figure 71. Civic Center Station, detail of column foundation layout showing locations of proposed AISP and actual AIS test excavations | 102 |
| Figure 72. Civic Center Station, detail of (<i>makai</i>) Station Entrance Building (at <i>makai</i> side of Halekauwila Street northwest of Keawe Street), showing locations of proposed AISP and actual AIS test excavations | 103 |
| Figure 73. Kaka'ako Station (just southeast of Ward Avenue and southwest of Queen Street), aerial photograph showing overlay of transit station infrastructure (see following figures for details) and locations of proposed AISP and actual AIS test excavations .. | 104 |
| Figure 74. Kaka'ako Station, view toward central column foundation location, view to south.. | 105 |
| Figure 75. Kaka'ako Station, view of northeast portion of station (parking lot), Ross Dress for Less at right, view to south | 105 |
| Figure 76. Kaka'ako Station, detail of column foundation layout showing locations of proposed AISP and actual AIS test excavations..... | 106 |
| Figure 77. Kaka'ako Station, detail of building foundation layout showing locations of proposed AISP and actual AIS test excavations..... | 107 |
| Figure 78. Ala Moana Center Station (at Kona Street just southeast of Kona Iki Street), aerial photograph showing overlay of transit station infrastructure (see following figures for details) and locations of proposed AISP and actual AIS test excavations..... | 108 |
| Figure 79. General view of Ala Moana Center Station, saddle column foundation locations flanking Kona Street (from Kona Iki Street intersection), view to southeast..... | 109 |

Figure 80. General view of Ala Moana Center Station, Station Ancillary Building location (presently recycling warehouse) from intersection of Kona Street and Kona Iki Street, view to east109

Figure 81. Ala Moana Center Station, column foundation location (in front of Tattoo Hawai'i), view to east110

Figure 82. Ala Moana Center Station, column foundation location (in side lot by Nail Boutique), view to east110

Figure 83. Ala Moana Center Station, detail of column foundation layout showing locations of proposed AISP and actual AIS test excavations111

Figure 84. Ala Moana Center Station, detail of (*mauka*) Station Ancillary Building foundation layout and Station Entrance Building foundation layout showing locations of proposed AISP and actual AIS test excavations.....112

Figure 85. Map J30 (Kamehameha Highway in the immediate vicinity of the Middle Street Transit Center Station) showing locations of proposed AISP and actual AIS test excavations (see also detailed Middle Street Transit Center Station figures, above)...134

Figure 86. Map J31 (Kamehameha Highway east of Middle Street Transit Center Station) showing locations of proposed AISP and actual AIS test excavations.....135

Figure 87. Map E3 (Dillingham Boulevard near Laumaka Street) showing locations of proposed AISP and actual AIS test excavations.....136

Figure 88. Map E4 (Dillingham Boulevard near Kalihi Station) showing locations of proposed AISP and actual AIS test excavations (see also detailed Kalihi Station figures, above)137

Figure 89. Map E5 (Dillingham Boulevard near Kalihi Street) showing locations of proposed AISP and actual AIS test excavations.....138

Figure 90. Map E6 (Dillingham Boulevard near McNeill Street) showing locations of proposed AISP and actual AIS test excavations.....139

Figure 91. Map E7 (Dillingham Boulevard near Waiakamilo Road showing locations of proposed AISP and actual AIS test excavations140

Figure 92. Map E8 (Dillingham Boulevard near Kapālama Station) showing locations of proposed AISP and actual AIS test excavations (see also detailed Kapālama Station figures, above).....141

Figure 93. Map E9 (Dillingham Boulevard near Ala Kawa Street) showing locations of proposed AISP and actual AIS test excavations.....142

Figure 94. Map E10 (Dillingham Blvd. west of Iwilei Station) showing locations of proposed AISP and actual AIS test excavations (see also detailed Iwilei Station figures, above)143

Figure 95. Map G11 (east of Iwilei Station) showing proposed locations of proposed AISP and actual AIS test excavations (see also detailed Iwilei Station figures, above).....144

Figure 96. Map G12 (near Iwilei Road and the west side of Nu‘uanu Stream) showing locations of proposed AISP and actual AIS test excavations (note: this entire section was in fishponds or is seaward of the former shoreline).....145

Figure 97. Map G13 (Nimitz Highway on the east side of Nu‘uanu Stream, near Chinatown Station) showing locations of proposed AISP and actual AIS test excavations (see also detailed Chinatown Station figures, above)146

Figure 98. Map G14 (Nimitz Highway near Nu‘uanu Avenue and Bethel Street and north of the Downtown Station) showing locations of proposed AISP and actual AIS test excavations.....147

| | |
|--|-----|
| Figure 99. Map G15 (Nimitz Highway near the Downtown Station) showing locations of proposed AISP and actual AIS test excavations (see also detailed Downtown Station figures, above)..... | 148 |
| Figure 100. Map G16 (Nimitz Highway and Halekauwila Street southeast of the Downtown Station) near Mililani Street showing locations of proposed AISP and actual AIS test excavations..... | 149 |
| Figure 101. Map G17 (Halekauwila Street northwest of the Civic Center Station) showing locations of proposed AISP and actual AIS test excavations | 150 |
| Figure 102. Map G18 (Halekauwila Street in the vicinity of the Civic Center Station) showing locations of proposed AISP and actual AIS test excavations (see also detailed Civic Center Station figures, above)..... | 151 |
| Figure 103. Map G19 (Halekauwila Street between Cooke and Kamani Streets) showing locations of proposed AISP and actual AIS test excavations | 152 |
| Figure 104. Map G20 (Kaka 'ako Station) vicinity showing locations of proposed AISP and actual AIS test excavations (see also detailed Kaka 'ako Station figures, above)..... | 153 |
| Figure 105. Map G21 (Queen Street and Kamake 'e Street vicinity) showing locations of proposed AISP and actual AIS test excavations | 154 |
| Figure 106. Map G22 (vicinity of Queen and Waimanu Streets intersection) showing locations of proposed AISP and actual AIS test excavations | 155 |
| Figure 107. Map G23 (Kona Street in the vicinity of Pensacola and Pi 'ikoi Streets) showing locations of proposed AISP and actual AIS test excavations | 156 |
| Figure 108. Map G24 (Kona Street just northwest of Ala Moana Station) showing locations of proposed AISP and actual AIS test excavations (see also detailed Ala Moana Station figures, above)..... | 157 |
| Figure 109. Map P1 (vicinity of Punchbowl and Pohukaina Streets) showing locations of proposed AISP and actual AIS test excavations | 158 |
| Figure 110. Map P2 (vicinity of Pohukaina and South Streets) showing locations of proposed AISP and actual AIS test excavations..... | 159 |
| Figure 111. Map P3 (vicinity of Pohukaina , Keawe, Coral, and Cooke Streets) showing locations of proposed AISP and actual AIS test excavations | 160 |
| Figure 112. <i>Mauka</i> portion of the Middle Street Transit Center Station location at Kalihi Stream Bridge, view to north across Kamehameha Highway..... | 162 |
| Figure 113. Location of <i>mauka</i> Kalihi Station at the intersection of Dillingham Boulevard and Mokauea Street, view to northeast..... | 162 |
| Figure 114. HHCTCP alignment through Kalihi, taken at the intersection of Kalihi Street and Dillingham Boulevard, view to southeast..... | 163 |
| Figure 115. View east across the intersection of Dillingham Boulevard and Kokea Street at the location of <i>mauka</i> portion of Kapalama Station at Honolulu Community College..... | 163 |
| Figure 116. Location of the Iwilei Station, west portion, near the intersection of Dillingham Boulevard and Kaaahi Street, view to southeast..... | 164 |
| Figure 117. View southeast of the HHCTCP alignment at the Diamond Head-end of Ka 'aahi Street, between the Iwilei and Chinatown Stations | 164 |
| Figure 118. Location of the Chinatown Station, at the intersection of Nimitz Highway and Kekaulike Street, view to northeast | 165 |

| | |
|--|-----|
| Figure 119. View south of the HHCTCP alignment along Nimitz Highway at Honolulu Harbor, looking towards the intersection of Nimitz Highway and Fort Street | 165 |
| Figure 120. View west of the HHCTCP utility relocation corridor at the intersection of Ala Moana Boulevard and Punchbowl Street..... | 166 |
| Figure 121. View southeast of the HHCTCP alignment at the intersection of Halekauwila Street and Keawe Street, the location of the City Center Station is to the right of the right foreground of the photograph | 166 |
| Figure 122. View east of the HHCTCP alignment along Queen Street, between Kamake'e Street and Waimanu Street..... | 167 |
| Figure 123. View east across Pi'ikoi Street and down Kona Street towards the Ala Moana Station | 167 |
| Figure 124. The archaeological cultural resources that were identified within, or immediately adjacent to, the City Center AIS study area (Base Map: U.S.G.S. 1998 Topographic Map of Honolulu Quadrangle)..... | 170 |
| Figure 125. Location of SIHP # 50-80-14-2918 within the West Kaka'ako (Makai) Zone (Base Map: USGS 1998 Topographic Map of Honolulu Quadrangle)..... | 174 |
| Figure 126. Location of SIHP # 50-80-14-2918 within the West Kaka'ako (Makai) Zone (Base Map: Tax Map Key [1] 2-1-27) | 175 |
| Figure 127. Photograph of T-226A walls depicting the A-horizon and underlying Jaucas sand | 181 |
| Figure 128. Archaeological pit features in T-226B that are associated with the A-horizon | 182 |
| Figure 129. Bone pick (Acc. # 226A-H-1) discovered in the A-horizon deposits in T-226A..... | 183 |
| Figure 130. Pressed glass artifact (possible candleholder) (Acc. #227 A-28) discovered in T-227 in Feature 17 | 184 |
| Figure 131. Machine-drilled ivory bead (Acc. #227-A-29) from Feature 17 in T-227 | 184 |
| Figure 132. Portion of the 1884 Bishop Map of Honolulu (RM 1090) depicting the location of the Marine Rail in relation to SIHP # 50-80-14-2918 | 185 |
| Figure 133. Profile drawing of the north sidewall in T-226C depicting SIHP# -2918 Features 29 and 30..... | 186 |
| Figure 134. Graph representing the total weight (g) of faunal remains recovered from deposits associated with SIHP # 50-80-14-2918 | 190 |
| Figure 135. Location of SIHP # 50-80-14-2963 in the West Kaka'ako Zone (Base Map: USGS 1998 Topographic Map of Honolulu Quadrangle) | 193 |
| Figure 136. Location of SIHP # 50-80-14-2963 in the West Kaka'ako Zone (Base Map: Tax Map Key [1] 2-1-30) | 194 |
| Figure 137. Photograph of the southwest profile wall in T-122 depicting the pond sediments underlying several fill layers..... | 198 |
| Figure 138. Profile drawing of the northeast wall in T-124 depicting the historically impacted upper A-horizon (Stratum IIa) and the <i>in situ</i> pre- and/or early-post Contact A-horizon (Stratum IIb)..... | 200 |
| Figure 139. SIHP # 50-80-14-2963 Features 7, 8, and 9 in T-124 | 202 |
| Figure 140. Location of test core T-124A collected southeast of T-124 (base map: 2006 PB aerial photograph)..... | 203 |
| Figure 141. Profile of test core collected southeast of T-124 | 205 |
| Figure 142. Graph representing the total weight (g) of faunal remains recovered from deposits associated with SIHP # 50-80-14-2963 | 207 |

| | |
|--|-----|
| Figure 143. Locations of former and newly identified extents of SIHP # -5368, Kūwili Fishpond, with locations of AIS excavations T-088 through T-094 along the Iwilei Zone corridor (base map: 1998 U.S. Geological Survey topographic map, Honolulu Quadrangle) ... | 210 |
| Figure 144. Locations of former and newly identified extents of SIHP # 50-80-14-5368 within the Iwilei Geographic Zone (base map: Tax Map Key [1] 1-5-07) | 211 |
| Figure 145. A portion of the 1885 map of Kalihi and Kapālama, <i>makai</i> sections, by J. F. Brown depicting the general location of Kūwili Fishpond within the Iwilei Geographic Zone | 212 |
| Figure 146. 1887 W. A. Wall Hawaiian Government Survey Map of Honolulu and Vicinity, showing the location of Kūwili Fishpond | 213 |
| Figure 147. Profile drawing of the south wall in T-091 | 217 |
| Figure 148. Photograph of T-091 south wall profile | 219 |
| Figure 149. Location of SIHP # 50-80-14-5820 in the Kaka'ako West Geographic Zone (Base Map: USGS 1998 Topographic Map of Honolulu Quadrangle)..... | 221 |
| Figure 150. Location of SIHP # 50-80-14-5820 in the Kaka'ako West Geographic Zone (Base Map: Tax Map Key [1] 2-1-51) | 222 |
| Figure 151. Plan views of T-141 depicting the human skeletal remains and the horse burial of SIHP # -5820 Feature 1..... | 232 |
| Figure 152. Photograph of the articulated horse burial in Feature 1 | 233 |
| Figure 153. Photograph of the southwest profile in T-145 depicting the possible <i>imu</i> pit (Feature 9) | 234 |
| Figure 154. Profile drawing of the northeast wall in T-150 depicting Features 18, 19, and 20 of SIHP #-5820..... | 235 |
| Figure 155. Photograph of the basalt stone sinker (Acc. # 141-H-1) that was recovered from the interface of the former A-horizon and the underlying natural Jaucas sand in T-141 ... | 238 |
| Figure 156. Photograph of the basalt game stone (Acc. # 142-H-1) discovered in Feature 5 of T-142..... | 238 |
| Figure 157. Photograph of the marine shell fishhook (Acc. # 142-H-2) discovered in Feature 6 of T-142..... | 239 |
| Figure 158. Graph representing the total weight (g) of faunal remains recovered from deposits associated with SIHP # 50-80-14-5820 | 244 |
| Figure 159. Location and extent of SIHP # -5966, Kawa Fishpond, with location of AIS excavation T-095 along the Iwilei Zone corridor (base map: 1998 U.S. Geological Survey topographic map, Honolulu Quadrangle) | 248 |
| Figure 160. Location and extent of SIHP # -5966, Kawa Fishpond, with location of AIS excavation T-095 along the Iwilei Zone corridor (base map: Tax Map Key [1] 1-5-8)..... | 249 |
| Figure 161. Portion of the 1885 map of Kalihi and Kapālama, <i>makai</i> sections, by J. F. Brown showing the general location of Kawa Fishpond..... | 250 |
| Figure 162. Portion of the 1897 Map of Honolulu by M. D. Monsarrat (Reg. Map 1910) showing the general location of Kawa Fishpond | 251 |
| Figure 163. Locations of former and newly identified extents of SIHP # -6636 in the vicinity of the East Kaka'ako and Kālia Geographic Zones | 254 |
| Figure 164. Location and extent of SIHP # -6636, Kewalo wetlands, with locations of AIS test excavations along the Kālia Zone corridor (base map: Tax Map Key [1] 2-3-38)..... | 255 |

Figure 165. Location and extent of SIHP # -6636, Kewalo wetlands, with locations of AIS test excavations along the East Kaka‘ako and Kālia Zones corridor (base map: Tax Map Key [1] 2-3-07)256

Figure 166. Profile drawing of the northeast wall in T-186260

Figure 167. T-186 northeast profile wall262

Figure 168. Location and extent of SIHP # -6856, Kolowalu Fishpond, with locations of AIS excavations T-181 through T-185 along the East Kaka‘ako Zone corridor (base map: 1998 U.S. Geological Survey topographic map, Honolulu Quadrangle)266

Figure 169. Location and extent of SIHP # -6856, Kolowalu Fishpond, with locations of AIS excavations T-181 through T-185 along the East Kaka‘ako Zone corridor (base map: Tax Map Key [1] 2-3-04).....267

Figure 170. 1897 Map of Honolulu by M. D. Monsarrat (Reg. Map 1910) showing the general location of Kolowalu Fishpond (blue arrow).....268

Figure 171. Portion of a 1927 aerial photograph (source: UH SOEST) depicting Kolowalu Fishpond (SIHP # -6856).....269

Figure 172. Profile drawing of the north wall in T-185.....271

Figure 173. Photograph of T-185 north profile wall.....273

Figure 174. Locations of former and newly identified extents of SIHP # -7124 and AIS test excavations along the West Kaka‘ako Zone corridor (base map: 1998 U.S. Geological Survey topographic map, Honolulu Quadrangle)275

Figure 175. Locations of former and newly identified extents of SIHP # -7124 and AIS test excavations along the West Kaka‘ako Zone corridor (base map: Tax Map Key [1] 2-1-30)276

Figure 176. Profile drawing of the northeast wall in T-132285

Figure 177. Photograph of T-132, northeast profile wall287

Figure 178. Portion of the 1927 Sanborn Fire Insurance Map depicting T-132 within the footprint of an Auto Repair Garage288

Figure 179. Portion of the 1950 Sanborn Fire Insurance Map depicting T-132 within the footprint of a furniture warehouse289

Figure 180. Former and newly identified extents of SIHP # 50-80-14-7189 with locations of AIS excavations within the West Kaka‘ako and Kaka‘ako Makai Geographic Zones (base map: USGS 1998 Topographic Map of Honolulu Quadrangle)291

Figure 181. Photograph of the burnt historic trash deposit (SIHP # 50-80-14-7189) in T-231A293

Figure 182. Photograph of a representative sample of historic material collected from the burnt trash deposits in T-130 (SIHP # -7189)294

Figure 183. Photograph of a representative sample of historic material collected from the burnt trash deposits in T-132 (SIHP # -7189)294

Figure 184. Profile drawing of the northeast wall in T-132 depicting the historic burnt trash deposit (Stratum Ie).....295

Figure 185. Previous and current extant of the subsurface salt pan remnants (SIHP # 50-80-14-7190) that are located within the Kaka‘ako Makai Geographic Zone (base map: USGS 1998 Topographic Map of Honolulu Quadrangle)298

Figure 186. Clay layer (Stratum II) in T-230 that may be associated with SIHP # -7190299

Figure 187. Profile drawing of northeast wall in T-230 depicting the clay layer (Stratum II) that may be associated with SIHP # -7190299

| | |
|---|-----|
| Figure 188. Profile drawing of the northeast wall in T-229 depicting two potential berms (Stratum II)..... | 301 |
| Figure 189. Photograph of one of the potential berms in T-229 associated with SIHP # 50-80-14-7190..... | 301 |
| Figure 190. Portion of the 1876 Lyons Map of Honolulu depicting the former salt pans that extended throughout the City Center AIS study area | 303 |
| Figure 191. Portion of the 1883 Baldwin Map of Honolulu (RM 1087) depicting the shift of salt pans to the southeast | 304 |
| Figure 192. Locations of former and newly identified extents of SIHP # -7193 and the location of AIS test excavation T-214 in the Kālia Geographic Zone (base map: 1998 U.S. Geological Survey topographic map, Honolulu Quadrangle)..... | 306 |
| Figure 193. Locations of former and newly identified extents of SIHP # -7193 and location of AIS test excavation T-214 in the Kālia Geographic Zone (base map: Tax Map Key [1] 2-3-38)..... | 307 |
| Figure 194. Profile drawing of the southwest wall in T-214 | 308 |
| Figure 195. Photograph of the southwest profile wall in T-214 | 310 |
| Figure 196. Geographical extent of SIHP # 50-80-14-7197 with locations of AIS excavations along the West Kaka‘ako Zone corridor (base map: USGS 1998 Topographic Map of Honolulu Quadrangle) | 313 |
| Figure 197. Location of the <i>imu</i> pit (SIHP # 50-80-14-7425) in the West Kalihi Geographic Zone (Base Map: USGS 1998 Topographic Map of Honolulu Quadrangle)..... | 316 |
| Figure 198. Profile drawing of the northeast wall depicting the subsurface <i>imu</i> (SIHP # 50-80-14-7429) in T-020 | 317 |
| Figure 199. Photograph of the <i>imu</i> deposits in T-020 | 319 |
| Figure 200. Water-rounded basalt cobbles discovered in the <i>imu</i> pit (SIHP # 50-80-14-7425) . | 320 |
| Figure 201. Location of the subsurface wetland deposits (SIHP # 50-80-14-7426) and previous archaeological studies in the East Kapālama Geographic Zone (Base Map: USGS 1998 Topographic Map of Honolulu Quadrangle) | 323 |
| Figure 202. 1885 map of Kapālama by J. F. Brown (RM 1039), depicting the Pleistocene shelf (red arrows) in the east and west boundaries of the East Kapālama Geographic Zone | 325 |
| Figure 203. 1914 Sanborn Series map showing the unnamed pond in the vicinity of T-085..... | 326 |
| Figure 204. Northwest profile of T-067 depicting two imported fill layers overlying the wetland agricultural sediments (Stratum II) | 327 |
| Figure 205. Southeast profile of T-068 depicting several imported fill deposits overlying the natural wetland agricultural sediments (Strata IIa and IIb) | 328 |
| Figure 206. Profile drawing of the southeast wall in T-068 depicting several imported fill deposits overlying the natural wetland agricultural sediments (Strata IIa and IIb) | 329 |
| Figure 207. Subsurface wetland agricultural sediments (Stratum II) observed in T-062..... | 331 |
| Figure 208. Subsurface wetland agricultural sediments (Stratum II) observed in T-065..... | 332 |
| Figure 209. A medicine bottle (Acc. # 060-A-1), dated to the 1930s, that was collected from the subsurface wetland sediments in T-060..... | 333 |
| Figure 210. <i>Assimineia parvula</i> , semi-amphibious mollusk (Photo credit: McCormack, G. 2007) | 334 |
| Figure 211. <i>Melanoides tuberculata</i> , fresh/brackish water species (Photo credit: Poppe, G. and P. Poppe 2013) | 334 |
| Figure 212. <i>Hawaiiia minuscula</i> , terrestrial mollusk (Photo credit: Poppe, G. and P. Poppe 2013) | 334 |

| | |
|--|-----|
| Figure 213. <i>Bradybaena similaris</i> , terrestrial mollusk (Photo credit: Poppe, G. and P. Poppe 2013) | 335 |
| Figure 214. An example of a gastropod from the Lymnaea family (photo of <i>Lymnaea viridis</i> not available (Photo credit: Poppe, G. and P. Poppe 2013) | 335 |
| Figure 215. Location of the subsurface cultural deposits (SIHP # 50-80-14-7427) located in the vicinity of the Chinatown Transit Station (Base Map: 1998 USGS Topographic Map of Honolulu) | 339 |
| Figure 216. Location of the subsurface cultural deposits (SIHP # 50-80-14-7427) located in the vicinity of the Chinatown Transit Station (Base Map: Tax Map Key [1] 1-7-2) | 340 |
| Figure 217. Portion of 1914 Sanborn Fire Insurance Map of Honolulu depicting the locations of T-096 to T-101 | 343 |
| Figure 218. Portion of 1891 Dakin Fire Insurance Map of Honolulu depicting the locations of T-096 to T-101 | 345 |
| Figure 219. Portion of 1899 Dakin Fire Insurance Map of Honolulu depicting the locations of T-096 to T-101 | 346 |
| Figure 220. Portion of 1906 Dakin Fire Insurance Map of Honolulu depicting the locations of T-096 to T-101 | 347 |
| Figure 221. Portion of 1950 Sanborn Fire Insurance Map of Honolulu depicting the locations of T-096 to T-101 | 349 |
| Figure 222. Location of the six test cores collected from T-098, T-099, and T-101 (Base Map: 2006 PB Aerial Photograph) | 351 |
| Figure 223. Profiles of the two test bores collected from the east and west boundaries of T-098352 | |
| Figure 224. Profiles of the two test bores collected from the north and south boundaries of T-099353 | |
| Figure 225. Profiles of the two test bores collected from the east and west boundaries of T-101354 | |
| Figure 226. Profile drawing of the southeast wall in T-096 depicting archaeological Features 1, 2, 3, and 16 of SIHP # 50-80-14-7427 | 355 |
| Figure 227. Photograph of historic building foundations (Feature 1) associated with SIHP # 50-80-14-7427 | 357 |
| Figure 228. Photograph of historic building foundations (Feature 5) associated with SIHP # 50-80-14-7427 | 357 |
| Figure 229. Photograph of historic building foundations (Feature 9) associated with SIHP # 50-80-14-7427 | 358 |
| Figure 230. Photograph of historic building foundations (Feature 10) associated with SIHP # 50-80-14-7427 | 359 |
| Figure 231. Photograph of historic building foundations (Feature 11) associated with SIHP # 50-80-14-7427 | 360 |
| Figure 232. Photograph of historic building foundations (Feature 12) associated with SIHP # 50-80-14-7427 | 360 |
| Figure 233. Northwest profile of T-096 depicting Features 3 and 16 of SIHP # 50-80-14-7427365 | |
| Figure 234. Graph representing the total weight (g) of faunal remains recovered from deposits associated with SIHP # 50-80-14-7427 | 366 |
| Figure 235. Location of subsurface cultural deposits (SIHP # 50-80-14-7428) in the West Kaka'ako Geographic Zone (Base Map: 1998 USGS Topographic Map of Honolulu)369 | |
| Figure 236. Location of subsurface cultural deposits (SIHP # 50-80-14-7428) in the West Kaka'ako Geographic Zone (Base Map: Tax Map Key [1] 2-1-26)..... | 370 |

| | |
|--|-----|
| Figure 237. Photograph of the sling stone (Acc. # 119A-H-1) discovered in T-119A..... | 374 |
| Figure 238. Photograph of the basalt flake (Acc. # 120B-H-2) discovered in T-120B..... | 374 |
| Figure 239. Photograph of a portion of the basalt stone and mortar wall (Feature 1) that was discovered in T-119 | 375 |
| Figure 240. Photograph of a portion of the basalt stone and mortar wall (Feature 1) that was discovered in T-119A | 376 |
| Figure 241. Photograph of basalt stones from Feature 1 in T-119 | 376 |
| Figure 242. Profile drawing of the northwest wall in T-119 depicting the basalt stone and mortar wall (Feature 1) and the A-horizon (Stratum II)..... | 377 |
| Figure 243. Photograph of the archaeological pit features (2 through 8) in T-120 | 380 |
| Figure 244. Photograph of the A-horizon and associated archaeological pit features in T-120.. | 381 |
| Figure 245. Photograph of archaeological pit features (10 through 13) in T-120A | 382 |
| Figure 246. Location of SIHP # 50-80-14-7428 in relation to SIHP # 50-80-14-2963 (Base Map: 1906 Dakin Fire Insurance Map)..... | 385 |
| Figure 247. Portion of the 1891 Dakin Fire Insurance Map depicting subsurface cultural deposit (SIHP # 50-80-14-7428) | 386 |
| Figure 248. Portion of the 1906 Dakin Fire Insurance Map depicting subsurface cultural deposit (SIHP # 50-80-14-7428) | 388 |
| Figure 249. Portion of the 1899 Dakin Fire Insurance Map depicting subsurface cultural deposit (SIHP # 50-80-14-7428) | 389 |
| Figure 250. Portion of the 1914 Sanborn Fire Insurance Map depicting subsurface cultural deposit (SIHP # 50-80-14-7428)..... | 390 |
| Figure 251. Graph representing the total weight (g) of faunal remains recovered from deposits associated with SIHP # 50-80-14-7428 | 392 |
| Figure 252. Location of the subsurface cultural deposits (SIHP # 50-80-14-7429) in the Kewalo Geographic Zone (Base Map: 1998 USGS Topographic Map of Honolulu) | 395 |
| Figure 253. Location of the subsurface cultural deposits (SIHP # 50-80-14-7429) in the Kewalo Geographic Zone (Base Map: Tax Map Key [1] 2-3-2) | 396 |
| Figure 254. Photograph of the northeast sidewall in T-167 depicting the culturally enriched sand A-horizon (SIHP # 50-80-14-7429)..... | 397 |
| Figure 255. Photograph of archaeological Features 1 and 2 within T-167..... | 401 |
| Figure 256. Photograph of archaeological Feature 3 in T-167 | 402 |
| Figure 257. Photograph of archaeological Feature 5 in T-168B | 403 |
| Figure 258. Profile drawing of the southeast wall in T-170 depicting the location of the human skeletal remains (Feature 6)..... | 404 |
| Figure 259. Photographs of the drilled dog tooth (Acc. # 167-H-1) that may have been part of a dog-tooth necklace (<i>lei 'ilio</i>) or part of a dog-tooth leg ornament (<i>kupe'e niho 'ilio</i>) . | 406 |
| Figure 260. Graph representing the total weight (g) of faunal remains recovered from deposits associated with SIHP # 50-80-14-7429 | 408 |
| Figure 261. Location of the privy (SIHP # 50-80-14-7430) in the Kālia Geographic Zone (Base Map: USGS 1998 Topographic Map of Honolulu Quadrangle)..... | 411 |
| Figure 262. Location of the privy (SIHP # 50-80-14-7430) in the Kālia Geographic Zone (Base Map: Tax Map Key [1] 2-3-38) | 412 |
| Figure 263. Plan view of the privy (SIHP # 50-80-14-7430) | 413 |

| | |
|---|-----|
| Figure 264. Plan view of the privy (SIHP # 50-80-14-7430) outline and coral gravel fill along its edges (Stratum If) | 414 |
| Figure 265. Two (2 x 4 inch) posts that were part of the privy structure (SIHP # 50-80-14-7430)..... | 415 |
| Figure 266. One of the boards that was part of the privy structure (SIHP # 50-80-14-7430) | 415 |
| Figure 267. Remnants of a board that was part of the privy structure (SIHP # 50-80-14-7430) | 416 |
| Figure 268. Ferrous object collected from the privy (SIHP # 50-80-14-7430) | 416 |
| Figure 269. Machine-headed cut nail (ca. 1835-1890) collected from the privy wood..... | 417 |
| Figure 270. Profile drawing of the north wall in T-202 depicting the remnant privy (SIHP # 50-80-14-7430)..... | 418 |
| Figure 271. Representative sample of historic bottles (Acc. # 202-A-6, -7, and -10) collected from within the remnant privy (SIHP # 50-80-14-7430)..... | 420 |
| Figure 272. Portion of the 1927 UH SOEST aerial of the Kaka'ako coast showing the location of the privy (SIHP # 50-80-14-7430)..... | 422 |
| Figure 273. Portion of the 1952 UH SOEST aerial of the Kaka'ako coast showing the location of the privy (SIHP # 50-80-14-7430)..... | 423 |
| Figure 274. Cultural landscape of Hāunapō in the vicinity of SIHP #50-80-14-07425 | 427 |
| Figure 275. Portion of the 1883 Brown Map (RM 1255) depicting the LCAs near the West Kalihi Zone AIS test excavations including the vicinity of SIHP #50-80-14-07425 | 428 |
| Figure 276. Portion of a 1914 Sanborn fire insurance map showing the location of the bone find in T-096 (SIHP #50-80-14-07427) relative to Nu'uaniu Stream..... | 432 |
| Figure 277. This Dakin fire insurance map of 1899 clearly shows a "Joss House" within about 5 m to the southwest of the bone find in T-096 (SIHP #50-80-14-07427), which may have been the "Chinese club house" referred to in the 1896 <i>Hawaiian Gazette</i> account of "A Strange Occupation." | 433 |
| Figure 278. That the vicinity of Pu'unui was a focus of Hawaiian activity is indicated by four relatively early (95% probability ranges within AD 1450–1670) carbon dates from excavations T-124, T-145, T-146A, and T-151 | 436 |
| Figure 279. Compilation of original project design and revised project design, showing relocated AIS test excavations T-143 and T-145, and redesigned center columns (changed from straddle bents) in Halekauwila Street to avoid archaeological cultural resources in <i>mauka</i> portion of the street. | 471 |
| Figure 280. Portion of the City Center <i>makai</i> utility relocation corridor, at the intersection of Punchbowl Street and Ala Moana Boulevard, showing additional testing for redesigned utility duct line. The original design passes through T-226C, the redesign passed through T-226D, to allow option of preservation in place of human skeletal remains documented in T-226C | 472 |
| Figure 281. Locations of cultural resources at the west end of the City Center AIS corridor color-coded by function (base map: 1998 U.S. Geological Survey topographic map, Honolulu Quadrangle)..... | 480 |
| Figure 282. Locations of cultural resources in the center of the City Center AIS corridor color-coded by function (base map: 1998 U.S. Geological Survey topographic map, Honolulu Quadrangle)..... | 481 |
| Figure 283. Locations of cultural resources in the center of the City Center AIS corridor color-coded by function (base map: 1998 U.S. Geological Survey topographic map, Honolulu Quadrangle)..... | 482 |

| | |
|---|-----|
| Figure 284. Locations of cultural resources at the east end of the City Center AIS corridor color-coded by function (base map: 1998 U.S.Geological Survey topographic map, Honolulu Quadrangle)..... | 483 |
| Figure 285. The subsurface natural geomorphology and overlying fill layers of the western portion of the City Center AIS study area; locations of archaeological cultural resources are also depicted..... | 495 |
| Figure 286. The subsurface natural geomorphology and overlying fill layers of the eastern portion of the City Center AIS study area; locations of archaeological cultural resources are also depicted..... | 496 |
| Figure 287. Aerial photograph showing the distribution of natural sediments beneath fill layers in the test excavations in the western portion of the City Center AIS (source: 2005 U.S.G.S. orthoimagery) | 498 |
| Figure 288. Portion of the 1904 Alexander Map of Kalihi Kai showing the distribution of the different natural landform types observed beneath fill layers in the City Center AIS test excavations in the vicinity of the Middle Street Transit Center Station and Kalihi Station | 499 |
| Figure 289. Portion of the 1885 Brown Map of Kapālama showing the distribution of the different natural landform types observed beneath fill layers in the City Center AIS test excavations in the vicinity of the Kapālama and Iwilei Station..... | 500 |
| Figure 290. Aerial photograph showing the distribution of Jaucas Sand (Sand), wetlands, and pond sediments observed beneath fill layers in the Downtown and Kaka‘ako areas within City Center AIS test excavations (source: 2005 U.S.G.S. orthoimagery)..... | 501 |
| Figure 291. 1927 Kaka‘ako Coast aerial photograph (source: U.H. SOEST) showing the distribution of Jaucas sand (Sand), wetlands, and pond sediments observed beneath fill layers in the Kaka‘ako area within City Center AIS test excavations | 502 |
| Figure 292. Portion of an 1884 map of Honolulu by S. E. Bishop, showing the distribution of Jaucas Sand (Sand), wetlands, and pond sediments observed beneath fill layers in the Kaka‘ako area within City Center AIS test excavations..... | 503 |
| Figure 293. Percent distribution of each type of landform encountered in the western portion of the study area including those with only modern/historic fill deposits (Test Excavations 1 to 115)..... | 504 |
| Figure 294. Percent distribution of each type of natural landform encountered in the western portion of the study area beneath layers of historic/modern fill (Test Excavations 1 to 115) | 504 |
| Figure 295. Percent distribution of each type of landform encountered in the eastern portion of the study area (Test Excavations 116 to 222—not including Kaka‘ako Makai T-226 to T-232A), including those with only modern fill deposits..... | 505 |
| Figure 296. Percent distribution of each type of natural landform encountered in the eastern portion of the study area beneath the overlying modern/historic fill (Test Excavations 116 to 222—not including Kaka‘ako Makai T-226 to T-232A)..... | 505 |
| Figure 297. Additional Landform Histogram for <i>Kaka‘ako Makai</i> (Zone 11) which runs parallel to a portion of the eastern City Center AIS Study Area; this section (Test Excavations 226-232A) continues the mosaic pattern observed throughout the eastern half of the study area..... | 508 |

| | |
|--|-----|
| Figure 298. Map of the City Center project area and vicinity showing the locations of identifications of native trees, Polynesian cultigens, and exotic wood from the charcoal taxa analysis | 517 |
| Figure 299. Human skeletal remains documented in the western half of the City Center corridor (base map: U.S.G.S. orthoimagery 2005) | 550 |
| Figure 300. Human skeletal remains documented in the eastern half of the City Center corridor (base map: U.S.G.S. orthoimagery 2005) | 551 |
| Figure 301. 1927 aerial photograph of the Kaka'ako Coast showing locations of human skeletal remains in the eastern portion of the City Center corridor (source: U.H. SOEST) | 552 |
| Figure 302. Human skeletal remains documented in the western half of the City Center corridor by interment type (base map: U.S.G.S. orthoimagery 2005) | 553 |
| Figure 303. Human skeletal remains documented in the eastern half of the City Center corridor by interment type (base map: U.S.G.S. orthoimagery 2005) | 554 |
| Figure 304. Human skeletal remains documented in the western half of the City Center corridor by interment type (base map: U.S.G.S. orthoimagery 2005) | 555 |
| Figure 305. Human skeletal remains documented in the eastern half of the City Center corridor by burial condition (base map: U.S.G.S. orthoimagery 2005) | 556 |
| Figure 306. Human skeletal remains documented in the western half of the City Center corridor by burial condition (base map: U.S.G.S. orthoimagery 2005) | 557 |

List of Tables

| | |
|--|-----|
| Table 1. Summary of Total Area of Disturbance Anticipated for Different Aspects of City Center Construction (Est. 604,289 ft ² Total) | 14 |
| Table 2. Description of Additional Test Excavations | 56 |
| Table 3. Description of Supplemental Geotechnical Cores | 59 |
| Table 4. Description of Abandoned Test Excavations..... | 60 |
| Table 5. Sampling Strategy at Transit Station and Ancillary Facility Locations | 61 |
| Table 6. Percent Breakdown of Test Excavations by Project Component Tested..... | 113 |
| Table 7. Summary of the Approach for Archaeological Inventory Survey Testing by Construction Sheet (from West to East) | 115 |
| Table 8. Summary of Archaeological Cultural Resources Located in, or Immediately Adjacent to the City Center AIS Study Area (Bold SIHP #s Newly Identified in this Study) | 171 |
| Table 9. Archaeological features of SIHP # -2918 discovered during the current archaeological inventory survey..... | 176 |
| Table 10. Stratigraphic description of the north profile in T-226C | 187 |
| Table 11. Individually collected faunal remains from SIHP # 50-80-14-2918. The table only presents data from test excavations where more than four species were identified | 189 |
| Table 12. Archaeological features associated with SIHP # 50-80-14-2963 that were identified during the current AIS | 196 |
| Table 13. Traditional Hawaiian artifacts associated with SIHP # 50-80-14-2963 | 199 |
| Table 14. Stratigraphic description for the northeast profile in T-124 | 200 |
| Table 15. Results of the charcoal taxa identification..... | 206 |
| Table 16. Stratigraphic description for the south profile in T-091 | 218 |
| Table 17. Burials in the Vicinity of SIHP #-5820 | 224 |
| Table 18. A-horizon associated with SIHP # -5820 that was documented during the City Center AIS | 227 |
| Table 19. Archaeological features associated with SIHP # 50-80-14-5820 | 228 |
| Table 20. Stratigraphic description for the northeast profile in T-150 | 236 |
| Table 21. Individually collected faunal remains from SIHP # 50-80-14-5820. The table only presents data from test excavations where more than four species were identified | 240 |
| Table 22. T-186 Stratigraphic description for the northeast profile in T-186 | 261 |
| Table 23. Stratigraphic description for north profile in T-185 | 272 |
| Table 24. T-132 Stratigraphic description for the northeast profile in T-132 | 286 |
| Table 25. Stratigraphic description for the northeast profile of T-132..... | 296 |
| Table 26. Stratigraphic description for northeast profile in T-230 | 300 |
| Table 27. T-214 Stratigraphic description of the southwest profile in T-214 | 309 |
| Table 28. Stratigraphic description of the northeast profile in T-020..... | 318 |
| Table 29. Stratigraphic description of the southeast profile in T-068 | 330 |
| Table 30. Features of SIHP # 50-80-14-7427 | 341 |
| Table 31. Stratigraphic description of the southeast profile in T-096 | 356 |
| Table 32. Individually collected faunal remains from SIHP # 50-80-14-7427. The table only presents data from test excavations where more than four species were identified | 362 |
| Table 33. Archaeological features of SIHP # 50-80-14-7428 documented during the current AIS..... | 371 |
| Table 34. Traditional Hawaiian artifacts associated with SIHP # 50-80-14-7428 | 373 |

Table 35. Stratigraphic description for the northwest profile in T-119378

Table 36. Taxa identification results for SIHP # 50-80-14-7428383

Table 37. Radiocarbon dates for charcoal samples from the A-horizon in SIHP # 50-80-14-7428384

Table 38. Individually collected faunal remains from SIHP # 50-80-14-7428. The table only presents data from test excavations where more than four species were identified391

Table 39. Individually collected faunal remains from SIHP # 50-80-14-7429. The table only presents data from test excavations where more than four species were identified398

Table 40. Archaeological features of SIHP # 50-80-14-7429 that were identified during the City Center AIS399

Table 41. Stratigraphic description for the southeast profile in T-170405

Table 42. Stratigraphic description of north profile in T-202.....419

Table 43. *Wahi Pana* along the HHCTCP City Center Segment (adapted from Maly and Maly 2013 [Draft]).....439

Table 44. Cultural Resources Categorized by Function479

Table 45. Habitation Sites as Determined by Form and Contents484

Table 46. Taxa identified in the City Center AIS Charcoal Analysis.....512

Table 47. Charcoal Taxa Identified515

Table 48. Archaeological Cultural Resource Significance and Mitigation Recommendations...561

Section 1 Introduction

Cultural Surveys Hawai'i, Inc. (CSH) completed this archaeological inventory survey (AIS) for City Center (Section 4) of the Honolulu High-Capacity Transit Corridor Project (HHCTCP) for the Honolulu Authority for Rapid Transportation (HART) of the City and County of Honolulu (City), and for the Federal Transit Administration (FTA), and on behalf of PB Americas, Inc. (PB). The entire proposed HHCTCP project corridor extends approximately 23 miles (37 km) from East Kapolei in the west to Ala Moana Center in the east. The HHCTCP corridor is divided into four sections. From west to east these are: Section 1, West-O'ahu/Farrington Highway, extending from East Kapolei to approximately Leeward Community College; Section 2, Kamehameha Highway, extending from Leeward Community College to Aloha Stadium; Section 3, Airport, extending from Aloha Stadium to approximately the Middle Street Interchange; and, Section 4, City Center, extending from Middle Street to Ala Moana Center (Figure 1).

The HHCTCP's purpose is to provide high-capacity rapid transit in the highly congested east-west transportation corridor between Kapolei and Ala Moana Center via a fixed guideway rail transit system. FTA and the City will fund project construction. In addition to the guideway, the project will require construction of transit stations and ancillary support facilities.

1.1 City Center AIS Background

The focus of this AIS is the eastern-most 6.9 km (4.3 miles) of the overall HHCTCP project corridor: City Center. The City Center AIS study area includes all of Section 4, and, in order to provide continuity, the eastern-most portion of Section 3 (Airport). The AIS City Center study area extends from Kalihi Stream in the west to Ala Moana Center in the east, within Kalihi, Kapālama, Honolulu, and Waikīkī Ahupua'a, Honolulu (Kona) District, Island of O'ahu, Tax Map Key (TMK) [1] 1-2, 1-5, 1-7, 2-1, 2-3 (Various Plats and Parcels).

From west to east, the City Center AIS study area begins at Middle Street and extends along Dillingham Boulevard through Kalihi and Kapālama to Ka'aahi Street. From there it crosses Nuuanu Stream and continues along Nimitz Highway/Ala Moana Boulevard. From the intersection of Richards Street and Ala Moana Boulevard, it continues along Halekauwila Street to Ward Avenue. At Ward Avenue, it angles *mauka* (inland) across the corner of Ward Avenue and Queen Street. Between Ward Avenue and Kamake'e Street, it continues *makai* (seaward) of Queen Street. At Kamakee Street, it follows the alignment of Queen Street to the intersection with Waimanu Street. There it crosses to Kona Street, which it follows across Pi'ikoi Street into Ala Moana Center. An additional component of the City Center AIS study area is comprised of a utility relocation corridor that extends, again from west to east, from Richards Street along Ala Moana Boulevard, up Punchbowl Street, along Pohukaina Street and up Cooke Street to Halekauwila Street, where it merges with the guideway alignment. The AIS study area is depicted on the 1998 Honolulu U.S.G.S. 7.5-minute topographic quadrangle, on various TMKs, and an aerial photograph (Figure 2 to Figure 8).




Figure 1. Aerial photograph (source: U.S.G.S. orthoimagery 2005) showing the entire HHCTCP corridor, from East Kapolei to Ala Moana Center, including station locations, with the City Center AIS study area called out in green




Figure 2. Portion of the 1998 Honolulu U.S.G.S. 7.5-minute topographic quadrangle showing the City Center alignment and related transit facilities




Figure 3. Tax Map Key 1-2 showing the western portion of the City Center AIS study area




Figure 4. Tax Map Key 1-5 showing the central portion of the City Center AIS study area




Figure 5. Tax Map Key 1-7 showing the central portion of the City Center AIS study area




Figure 6. Tax Map Key 2-1 showing the central portion of the City Center AIS study area




Figure 7. Tax Map 2-3 showing the eastern portion of the City Center AIS study area




Figure 8. Aerial photograph (source: U.S.G.S. orthoimagery 2005) showing the City Center AIS study area

The AIS City Center study area is primarily located within existing road rights-of-way owned by the State of Hawai'i or the City and County of Honolulu, including Dillingham Boulevard, Ka'aahi Street, Nimitz Highway, Ala Moana Boulevard, Halekauwila Street, Queen Street, and Kona Street. Many of the support facilities along the project corridor are located on adjacent privately owned lands.

Nine proposed transit stations are within the City Center AIS study area: Middle Street Transit Center Station; Kalihi Station; Kapālama Station; Iwilei Station; Chinatown Station; Downtown Station; Civic Center Station; Kaka'ako Station; and Ala Moana Center Station; additionally there are three system sites (smaller alignment infrastructure related to guideway's power supply) (refer to Figure 2 to Figure 8). Project construction will also require relocation of existing utility lines within the project corridor that conflict with the project design. Minimally, land-disturbing activities will include grading of facility locations and excavations for guideway column foundations, subsurface utility relocation and installation, and construction of foundations for stations and ancillary facilities.

1.2 Historic Preservation Regulatory Context

Due to federal (FTA) funding, and use of U.S. Navy lands (in HHCTCP Section 3—Airport), this project is a federal undertaking as defined in 36 CFR 800.16, requiring compliance with Section 106 of the National Historic Preservation Act (NHPA), the National Environmental Policy Act (NEPA), and Section 4(f) of the Department of Transportation Act. Through the Section 106 historic preservation review process, the project's lead federal agency, FTA, has determined that the project will have an adverse effect on historic properties currently listed, or eligible for listing, on the National Register of Historic Places (National Register). The Hawai'i State Historic Preservation Officer (SHPO) concurred with this undertaking effect determination.

To mitigate the undertaking's potential adverse effect, a Section 106 Programmatic Agreement (PA) was executed on January 18, 2011, with FTA, Hawai'i SHPO, the United States Navy, and the Advisory Council on Historic Preservation as signatories, and the City as an invited signatory. PA Stipulation III requires that an archaeological inventory survey plan (AISP) be prepared and approved by the SHPD for each of the four HHCTCP construction sections.

An AISP for City Center (Hammatt et al. 2011) was prepared to fulfill PA Stipulation III and was accepted in the SHPD Section 106 review letter of October 25, 2011 (Log No. 2011.2379, Doc No. 1110NN08). The AISP defines the scope of work and details the proposed methods and sampling strategy for this AIS, in accordance with the requirements for an AISP in Hawai'i Administrative Rules (HAR) Chapter 13-275-5(c).

Subsequently consideration was given to an alternate site (Alternate A) for the Kaka'ako Station located approximately 50 m northeast (*mauka*) of the Kaka'ako Station location addressed in the AISP for City Center (Hammatt et al. 2011). This alternate station site, and associated minor changes to the immediately adjacent guideway alignment, were addressed in an Addendum AISP (Hammatt et al. 2013). The Addendum AISP was accepted in the SHPD Section 106 review letter of March 1, 2013 (Log No. 2013.1958, Doc. No. 1302SL28). These changes to the guideway alignment are discussed in Section 3 of this volume. The up-to-date City Center guideway alignment/project footprint is shown on all appropriate figures.

Following the approved City Center AISP (Hammatt et al. 2011), as amended in the City Center AISP Addendum (Hammatt et al. 2013), the City Center AIS investigation was completed. This AIS report was prepared in consideration of the *Secretary of the Interior's Standards and Guidelines for Archaeology and Historic Preservation* and to support the project's PA and Section 106 compliance. This AIS investigation also supports the project's historic preservation review under Hawai'i Revised Statutes (HRS) Chapter 6E-8 and HAR Chapter 13-275 governing procedures for historic preservation review for governmental projects, and HAR Chapter 13-276 governing standards for archaeological inventory surveys and reports

Following HAR Chapter 13-300 and HRS Chapter 6E-43, identified human skeletal remains were treated in consultation among SHPD, the City, the O'ahu Island Burial Council (OIBC), and cultural descendants from the area. A "*Consultation Protocol for Iwi Kūpuna Discovery During the Archaeological Inventory Survey for the City Center (Construction Phase 4) of the HHCTCP*" (Hammatt 2011) (reviewed and approved by FTA, per the project's PA requirements) was developed during the preparation of the City Center AISP to facilitate consultation regarding the treatment of identified human skeletal remains. This consultation protocol (Hammatt 2011) was implemented during the City Center AIS fieldwork.

CSH completed an AIS of HHCTCP Section 1 (extending east from the East Kapolei Station to approximately Leeward Community College), in February 2010. It was reviewed and approved by SHPD on April 19, 2010 (SHPD correspondence LOG NO: 2010.1749 / DOC NO: 1004MV01).

CSH completed an AIS of HHCTCP Section 2 (extending east from Leeward Community College to approximately Aloha Stadium) in May 2012. It was reviewed and approved in the SHPD Section 106 review of May 23, 2012 (Log No. 2012.1449, Doc No. 1205NN23).

CSH completed an AISP for HHCTCP Section 3 (extending from Aloha Stadium to Middle Street/Kalihi Stream). It was reviewed and accepted by SHPD December 2, 2011 (Log No. 2011.2167, Doc No 1211NN01). At the time of writing this report (March 2013) the AIS report for Section 3 (Airport) is under SHPD review.

The HHCTCP area of potential effect (APE) for archaeological cultural resources is defined in the HHCTCP PA (Stipulation III.A.1.) as all areas of direct ground disturbance. For the City Center AISP study area (all of Section 4 and the eastern portion of Section 3), project engineers estimate that the project's area of direct ground disturbance is approximately 604,289 square feet (or 13.87 acres). These 13.87 acres are the survey area for this City Center AIS investigation.

This AIS investigation was conducted to identify, document, and make National Register and Hawai'i Register of Historic Places (Hawai'i Register) eligibility recommendations for the study area's archaeological cultural resources. In consultation with the SHPD, this investigation was also designed to fulfill the State requirements for an AIS per HAR Chapter 13-276. The investigation includes an undertaking-specific effect recommendation and treatment/mitigation recommendations for the identified archaeological cultural resources recommended National/Hawai'i Register eligible. This document is intended to support project-related historic preservation consultation among stake-holding federal and state agencies, interested Native Hawaiian groups and individuals, and community groups.

This City Center AIS investigation focused exclusively on archaeological cultural resources. Identification and National/Hawai'i Register eligibility recommendations for the HHCTCP architectural cultural resources, including historic roads, bridges, and structures, was conducted as a separate effort in association with the project's Final Environmental Impact Statement (FEIS) (USDOT/FTA and City/DTS 2010).

Generally, under both Hawai'i State and federal historic preservation legislation, archaeological inventory surveys are designed to identify, document, and collect enough data to evaluate the significance of potential "historic properties." As discussed in the paragraphs below, there are important distinctions between the Federal and Hawai'i State definitions of "historic property." To alleviate any confusion these different definitions might cause, CSH has opted in this document to use the more generic term "cultural resources" and as defined below, in its discussion of the cultural remains within the current study area. The use of the term cultural resources in these instances is common practice in cultural resource management and is in keeping with the historic preservation requirements/definitions of both 36 CFR 800 and HAR Chapter 13-275.

In historic preservation parlance, cultural resources are the physical remains and/or geographic locations that reflect the activity, heritage, and/or beliefs of ethnic groups, local communities, states, and/or nations. Generally, they are at least 50 years old, although there are exceptions, and include: buildings and structures; groupings of buildings or structures (historic districts); certain objects; archaeological artifacts, features, sites, and/or deposits; groupings of archaeological sites (archaeological districts); and, in some instances, natural landscape features and/or geographic locations of cultural significance.

Historic properties, as defined in 36 CFR 800.16, are any prehistoric or historic districts, sites, buildings, structures, or objects included in, or eligible for inclusion in, the National Register maintained by the Secretary of the Interior. This includes artifacts, records, and remains that are related to and located within such properties, as well as properties of traditional religious and cultural importance to an Indian tribe or Native Hawaiian organization and that meet the National Register criteria. Determinations of eligibility are generally made by a federal agency official in consultation with the SHPO. Under federal legislation, a project's (undertaking's) potential effect on historic properties must be evaluated and potentially mitigated.

Under Hawai'i State historic preservation legislation, historic properties are defined as any cultural resources that are 50 years old, regardless of their significance under state law, and a project's effect and potential mitigation measures are evaluated based on the project's potential impact to "significant" historic properties (those historic properties determined eligible, based on established significance criteria, for inclusion in the Hawai'i Register). Determinations of eligibility to the Hawai'i Register result when a state agency official's historic property "significance assessment" is approved by SHPD, or when SHPD itself makes an eligibility determination for a historic property.

1.1 Overview of Proposed Project Construction

The design, method of construction, and timeline of the project continue to be refined. This overview of proposed project construction is a synopsis of the information provided in Appendix E—Construction Approach of the HHCTCP Final Environmental Impact Statement (FEIS)

(USDOT/FTA and C&C/DTS 2010). [Note: this is the same overview that was included in the SHPD-approved City Center AISP (Hammatt et al. 2011).]

1.1.1 Fixed Guideway and Transit Stations

The HHCTCP involves construction of a fixed guideway rail transit system that will consist primarily of elevated structures. The main components of the fixed guideway system are the elevated guideway structure, guideway foundation columns, and transit stations. The guideway foundation columns generally consist of a single eight foot diameter column spaced, on average, about every 120 feet, with shorter or longer spans used where needed. Transit stations generally consist of elevated platform structures with ground-level entrance buildings. The subsurface impacts associated with the fixed guideway and transit stations will be primarily associated with excavations for the guideway foundation columns and excavations associated with construction of ground-level station buildings, including subsurface utilities, elevator shafts, etc.

Two methods will be used to construct the guideway foundations, dictated by structural demands and existing subsurface conditions. Drilled shafts are the preferred foundation excavation method, which involves drilling with a 6- to 10-foot diameter auger to depths of 50 to 150 feet; installation of a rebar cage in the shaft; and filling the shaft with concrete. Driven-pile foundations will be constructed where lateral loads, geotechnical, or other site conditions prohibit the use of drilled shafts. Construction of driven-pile foundations involves excavations to accommodate the pile cap, pile driving by striking the pile with a heavy weight, vibrating the pile or jacking the pile into the ground, and forming and casting the pile cap with concrete.

1.1.2 Support Facilities

Ancillary support facilities for the transit system include maintenance and storage facilities and traction power substations. These facilities will be constructed at ground level, adjacent to the transit corridor. Subsurface impacts will include grading of the facility locations and excavations for building foundations, subsurface utility installation or relocation, and landscaping. On figures these ancillary support facilities are called out as system sites.

1.1.3 Ancillary Impacts

Project construction will require relocation of existing utility lines within the project corridor that conflict with the project design. The nature and extent of utility relocations, based on preliminary engineering, are shown in Table 1. Current estimates are that the vast majority of subsurface impacts will be ancillary (particularly for utility relocation, roadway widening, and building demolition, refer to Table 1).

Guideway foundation excavations will extend below the water table, potentially creating significant need for the management of displaced water and/or drilling slurry. De-watering pits may be excavated to temporarily collect and treat wastewater and drilling slurry prior to reuse or disposal.

Construction staging areas will be needed to provide adequate space for construction equipment, stockpiling and transfer of construction materials, parking, and other construction-related activities. The proposed ancillary maintenance and storage facility area and transit

stations have been identified as potential staging areas. Grading of the construction staging areas may be necessary.

1.1.4 Summary of Subsurface Impacts

While construction of the “touch down” facilities of the transit stations (the portions of the mostly elevated transit stations that are at ground/street level) and the excavations for the column foundations for the fixed guideway may be the most obvious project-related subsurface impacts, according to available data (Table 1) collectively these will only account for an estimated 3.9 percent of the area of project-related subsurface impacts.

Table 1. Summary of Total Area of Disturbance Anticipated for Different Aspects of City Center Construction (Est. 604,289 ft² Total)

| Components | Area (ft ²) | Percent of Project-related Ground Disturbance |
|---------------------------|-------------------------|---|
| Utilities (wet) | 86,597 | 14.3 |
| Utilities (dry) | 280,210 | 46.4 |
| Traction Power Substation | 20,916 | 3.5 |
| Fiber Optic Cables | 20,100 | 3.3 |
| Building Demolition | 68,851 | 11.4 |
| Roadway Widening | 103,410 | 17.1 |
| Traffic Signals | 1,179 | 0.2 |
| Stations | 11,222 | 1.9 |
| Columns | 11,804 | 2.0 |

The utility relocations needed for this project are considerable. The “dry” utilities, including electric and gas line relocations, are estimated to account for nearly half (46.4 percent) of the project-related subsurface impacts. The “wet” utility relocations, including water, sewer, and storm sewer improvements, are anticipated to account for approximately 14 percent of the project-related subsurface impacts. Road widening work will largely occur on the *makai* side of Dillingham Boulevard and this is anticipated to account for approximately 17 percent of the project-related subsurface impacts. Because of the medial placement of column foundations along much of the Dillingham Boulevard alignment, the thoroughfare will effectively become largely divided with the *makai* lanes needing to be widened approximately 10 feet farther *makai* (the actual extent of the widening will vary).

Current plans call for demolition of existing buildings in a number of areas, including: Iwilei, between the intersection of Queen and Waimanu Streets, and the vicinity of the intersection of Pensacola and Kona Streets. Demolition is anticipated to account for approximately 11 percent of project-related subsurface impacts. Existing building demolition will include excavations to remove building foundations and associated utilities and grading of the cleared land surface once demolition is done.

1.2 Division of the City Center AIS Study Area into Geographic Zones

The City Center AIS's study area is long and linear, as would be expected for a fixed-guideway transportation system like the HHCTCP. City Center's large (13.87 acres), dispersed (6.9 km/4.3 miles) study area was identified in the City Center AISP (Hammatt et al. 2011:iii) as one of the greatest factors limiting the AIS investigation effort. The linear, dispersed configuration of the study area did hamper the AIS study's execution because each portion of the study area (practically each excavation location) had its own challenges regarding right of entry, traffic management, utility avoidance, etc., that greatly exceeded a more typical 13-acre AIS investigation for a consolidated project area owned by a single landowner. The linear, dispersed nature of the guideway alignment does increase the information value of the AIS study in that it provides a long cross section through the majority of the most archaeologically-sensitive portion of O'ahu's South Shore. This cross section traverses four *ahupua'a* (traditional Hawaiian land division) and passes through distinct environmental and cultural settings.

For organization and results presentation, as well as to provide a suitable context to interpret the results of test excavations and the significance of identified archaeological cultural resources, the 6.9 km of the City Center AIS study area were divided into 11 geographic zones. The boundaries of the 11 geographic zones were based on background research and fieldwork results. Grouped together were areas with similar stratigraphy and geomorphology, and, where feasible, areas within traditional Hawaiian *ahupua'a* (land divisions). To be clear, the geographic zones technically are limited to the project APE (areas of actual ground disturbance), which is a relatively narrow focus; however, the geographical and cultural contextual information provided for each geographic zone covers a wider area to assist in investigation results interpretation. The following is a description of the 11 geographic zones (Figure 9), proceeding generally from west to east:

The West Kalihi Geographic Zone is within Kalihi Ahupua'a, along the eastern margins of Kalihi Stream. Observed stratigraphy in test excavations consisted of relatively thick fill layers over Kalihi Stream estuary sediments found near the water table. Elevations are typically low, 1.5 to 3 meters above mean sea level. West Kalihi extends approximately 0.5 km along Kamehameha Highway and is bounded to the west by the Middle Street exit from Kamehameha Highway and on the east by Laumaka Street. West Kalihi's eastern boundary is the edge of the emerged Pleistocene reef limestone common along southern O'ahu. The West Kalihi Geographic Zone is distinct from the immediately adjacent geographic zones to the east because of the estuary sediments encountered.

From West Kalihi, the AIS study area ascends slightly up onto the Pleistocene reef limestone formed during the 7.5 m (Waimānalo) sea-stand (Macdonald et al. 1983:420–421). Both the East Kalihi and West Kapālama Geographic Zones are situated on this slightly elevated limestone surface. Elevations increase from the relatively low-lying Kalihi Estuary to 4.75 to 7.25 m above mean sea level. East Kalihi extends approximately 0.7 km along Kamehameha Highway and Dillingham Boulevard, from Laumaka Street on the west to Kalihi Street on the east. The West




Figure 9. Portion of the 1998 Honolulu U.S.G.S. 7.5-minute topographic quadrangle showing City Center's 11 geographic zones along with the nine City Center Stations

Kapālama Geographic Zone extends approximately 0.5 km along Dillingham Boulevard and is bounded to the west by Kalihi Street and to the east by Waiakamilo Road. In both East Kalihi and West Kapālama similar stratigraphy was observed in test excavations: relatively thin fill layers, over 'Ewa silty clay loam alluvium, over the Pleistocene coral limestone bedrock. In many areas, this bedrock was less than a meter below the current ground surface. At the eastern boundary of the West Kapālama Zone, at Waiakamilo Road, this limestone bedrock is exposed on the surface. The boundary between East Kalihi and West Kapālama is Kalihi Street, which follows generally the traditional Hawaiian land division between Kalihi and Kapālama Ahupua'a.

East of Waiakamilo Road, the City Center AIS study area descends off of the Pleistocene limestone ridge down into the relatively low-lying areas within the *makai* drainages of Niuhelewai (currently channelized/rerouted, refer to discussion in Volume II) and Kapālama Streams. East Kapālama Geographic Zone extends approximately 1.0 km along Dillingham Boulevard from Waiakamilo Road at the west end to Akepo Lane at the east end. The western third of the East Kapālama Zone corridor is within Kapālama Ahupua'a, while the eastern two-thirds of the corridor are within Honolulu Ahupua'a. Elevations within the East Kapālama Zone range from approximately 1.3 to 2.1 m above mean sea level. At either end of the zone, the Pleistocene limestone shelf is exposed above the modern land surface. Within the zone observed stratigraphy consisted of thick layers of historic and modern fill over clayey, organically-enriched wetland sediments, which, based on AIS results, were extensively used for wetland agriculture (first taro, then rice). These former agricultural sediments are found within 0.2–0.5 m above the water table, indicating that before massive fill episodes, this area was extremely low-lying.

At the eastern boundary of the East Kapālama Zone, the City Center AIS study area effectively meets the old O'ahu coastline, before episodes of historic fill drastically changed the Iwilei region. The 0.65 km of the Iwilei Geographic Zone extends from Dillingham Boulevard, just east of Akepo Lane at the north end, and curves south to the intersection of Nimitz Highway with Nu'uaniu Stream at the south end. The Iwilei Geographic Zone is entirely within the contiguous footprints of two traditional Hawaiian fishponds that were filled as part of land reclamation in the late ninetieth century: Kūwili Fishpond to the north and Kawa Fishpond to the south, closer to Nu'uaniu Stream. The Iwilei Zone is entirely within Honolulu Ahupua'a. As can be expected from these reclaimed lands, elevations within the Iwilei Geographic Zone are low, between 1.5 to 1.8 m above mean sea level, and the observed stratigraphy consists of multiple historic and modern fill deposits, sometimes overlying marine/estuary sediments at the water table.

After crossing Nu'uaniu Stream the City Center AIS study area extends approximately 0.9 km along Nimitz Highway/Ala Moana Boulevard, between Nu'uaniu Stream and Richards Street, along the Downtown Honolulu Waterfront. The elevations within the Downtown Waterfront Geographic Zone range from approximately 1.9 to 2.4 m above mean sea level, and much of the zone consists of former off-shore areas that were filled/reclaimed in the latter half of the nineteenth century as part of the development of Honolulu Harbor. The stratigraphy observed in the zone consisted of thick fill layers over marine sediments at the northern and southern ends, with fill over Pleistocene limestone in the central portion. The Downtown Waterfront Zone is located entirely within Honolulu Ahupua'a. This area was the site of the early development of

the Village of Kou into the Port of Honolulu, and the zone passes through or is immediately adjacent to sites important in the development of Honolulu, such as the family compound of Francisco Marin (advisor to Kamehameha I), the Kamehameha I royal residential compound at Pakaka, and the Honolulu Fort (1816–1857).

The remaining five geographic zones to the east are all located in fairly similar geologic and cultural settings. They are all part of the coastal Honolulu Plain, which is stratified with late-Pleistocene coral reef substrate overlaid with calcareous marine sand or terrigenous sediments, and stream-fed alluvial deposits (Armstrong 1983:36). Before its infilling as a part of land reclamation in the late nineteenth and early twentieth centuries, the relatively low-lying area was a mosaic of Jaucas sand berms, often forming swales, open water ponds, and marshy areas. Native Hawaiians used the area for salt making, aquaculture, wet-land agriculture, habitation, and burial interment, and many of these uses continued into the late nineteenth and early twentieth centuries, at least in some areas. Stratigraphy observed within these geographic zones consisted of fill layers over the old, natural, pre-fill, land surface, which consists variably of Jaucas sand, sandy clay marsh/wetland sediments, or pond sediments. Previous research has documented that the buried Jaucas sand deposits sometimes contain burials (both pre- and post-Contact) and remnants of pre-Contact and post-Contact habitation. Remnants of fishponds, wetland agriculture, and salt making are also indicated based on past research.

At the intersection of Ala Moana Boulevard and Richards Street, the City Center AIS study area follows Halekauwila Street into Kaka'ako. The West Kaka'ako Geographic Zone extends approximately 1.25 km along Halekauwila Street from Richards Street to Ward Avenue. The West Kaka'ako Zone is located within Honolulu Ahupua'a. Elevations along the West Kaka'ako Zone range from approximately 1.2 to 1.9 m above mean sea level, with a slight increase in elevation to the west. Stratigraphy observed consisted of fill layers over Jaucas sand, sandy clay marsh/wetland sediments, or pond sediments.

The Kewalo Geographic Zone extends 0.5 km from Ward Avenue to Kamake'e Street. In this zone the City Center AIS study area is located *makai* of Queen Street, within Honolulu Ahupua'a. The Kewalo Zone is situated along the low-lying coastal flats immediately inland of present day Kewalo Basin (approximately 500 m inland from the natural coastline at the edge of today's Ala Moana Boulevard). Elevations in the zone range from approximately 1.3 m to 2.2 m above mean sea level. As with the West Kaka'ako Geographic Zone, stratigraphy observed consisted of fill layers over the old land surface, comprised of Jaucas sand, sandy clay marsh/wetland sediments, and/or pond sediments.

Further to the east, the East Kaka'ako Geographic Zone extends 0.5 km from Kamake'e Street to Pi'ikoi Street, within Honolulu Ahupua'a. The central portion of this zone is within the historic Kolowalu Fishpond. Elevations in the zone range from 1.3 to 1.8 m above mean sea level. Observed stratigraphy consisted predominantly of fill sediments over fine-grained alluvial pond sediments and sandy-clay marsh/wetland sediments.

Pi'ikoi Street generally marks the boundary between Honolulu and Waikiki Ahupua'a, and therefore the Kalia Geographic Zone is located within the westernmost portion of Waikiki Ahupua'a. The Kalia Geographic Zone extends 0.4 km east from Pi'ikoi Street to the HHCTCP terminus, *mauka* of Ala Moana Center. Elevations in the zone range from approximately 1.4 to

2.4 m above mean sea level. Observed stratigraphy included fill sediments over sandy-clay marsh/wetland sediments.

The Kaka'ako Makai Geographic Zone consists of the 1.25 km utility relocation corridor that extends, from west to east, from Richards Street along Ala Moana Boulevard, up Punchbowl Street, along Pohukaina Street, and up Cooke Street to Halekauwila Street. The Kaka'ako Makai Zone is located within the central portion of Honolulu Ahupua'a and elevations range from approximately 1.4 to 1.9 m above mean sea level. Based on historic maps, the portion of the zone along Ala Moana Boulevard was off-shore until historic land reclamation filled in this area as part of the development of Honolulu Harbor. The *makai* portions of this geographic zone, at the intersection of Ala Moana Boulevard and Punchbowl Street, were on the natural, pre-land reclamation shoreline. As with the West Kaka'ako Geographic Zone, stratigraphy observed consisted of fill layers over the old land surface, comprised of Jaucas sand, sandy clay marsh/wetland sediments, and/or pond sediments.

1.3 City Center AIS Report Organization

During the preparation of the AISP for City Center (Hammatt et al. 2011), it was clear that the City Center AIS report would be a massive document. The AISP scope of work and methods/sampling strategy (described in Sections 2 and 3) called for extensive subsurface testing and universal GPR-survey for all excavation areas, with detailed comparison of excavation and GPR survey results. Additionally there was the need for extensive laboratory analysis and reporting of results. These requirements alone promised an AIS report running into the thousands of pages, considering the well over 200 individual test excavations that were planned.

With the AIS report already slated for multiple volumes because of the number of pages needed for basic AIS results reporting, in consultation with SHPD and HART, it was decided to include the detailed background information presented in the City Center AISP (Hammatt et al. 2011) as part of the AIS report. Following Hawaii State archaeological inventory survey guidelines (HAR Chapter 13-276-5(b)(3)), this background information, comprised of the previous archaeology, the cultural/historic background summary, and the settlement pattern analysis, need not be included in AIS reports that follow an SHPD approved AISP. The decision to include this background information was made so that the City Center AIS report is a free-standing investigation that did not need to refer back to the City Center AISP. This decision did, however, increase the volume of information that needed to be included with the AIS report.

As this AIS report was compiled, it was understood that few readers would have the opportunity to read all the different volumes from cover to cover. Based on past experience, typically massive AIS reports are quickly subjected to "information triage" where the reader seeks out the specific information they need. It is with this information triage in mind that the different AIS volumes were put together. To the extent possible, volumes are designed to be largely self-contained. References between volumes are unavoidably common, but they were kept to the minimum possible by including redundant information. This redundancy is intentional and serves the reader that does not have the time for a cover to cover read of the multi-volume AIS report. For those readers with the time and patience for a cover to cover read of all volumes, your patience is appreciated with this redundancy.

The City Center AIS report is divided into ten (10) volumes. Volume I is the main document and contains the investigation's introduction, historic preservation regulatory context, and project description. It contains the methods and sampling strategy discussion, taken largely from the City Center AISP, but also updated. It also contains the archaeological cultural resource descriptions and significance discussion, the cultural consultation results, and the project effect and mitigation recommendations.

Volume II contains the previous archaeological summary, the traditional/historic background summary, and the settlement pattern analysis. Volume II is largely derived from the City Center AISP (Hammatt et al. 2011), although it has been substantially updated with more recent information. Information from Volume II is used and expanded upon for the individual geographic zone summaries presented in Volumes IVA to IVD (discussed below). Supplemental cultural, archaeological, and historical documentation for the Kaka'ako area in particular is available from several literature review and cultural impact assessment documents, including: McElroy, Sims, and Desilets (2008); O'Hare, Volger and Hammatt (2011); Cruz, Giannasio, Hammatt (2012); O'Hare, Borthwick, and Hammatt (2012).

Volume III consists of land court documents from the *Māhele* (the mid-nineteenth century transition from a traditional Hawaiian to a Western land tenure system). Volume III largely serves to support the discussion in Volumes I, II, and IVA to IVD. The introduction to Volume III explains the context and the types of *Māhele* records that are presented, while the body of Volume III also contains copies of the actual land court records discussed in the AIS report.

Volumes IVA to IVD are the excavation results for the 250 test excavations (232 original, 9 abandoned, and 27 added test excavations) that were part of the City Center AIS investigation. The excavation results volumes are organized from west to east, and into the geographic zones discussed above:

Volume IVA Excavation Results (Geographic Zones 1–2)

West Kalihi Test Excavations 1–20

East Kalihi Test Excavations 21–47

Volume IVB Excavation Results (Geographic Zones 3–5)

West Kāpalama Test Excavations 48–53

East Kāpalama Test Excavations 54–85

Iwilei Test Excavations 86–95

Volume IVC Excavation Results (Geographic Zones 6–8)

Downtown Waterfront Test Excavations 96–115

West Kaka'ako Test Excavations 116–161

Kewalo Test Excavations 162–178

Volume IVD Excavation Results (Geographic Zones 9–11)

East Kaka'ako Test Excavations 179–197

Kālia Test Excavations 198–225

Kaka'ako Makai Test Excavations 226–232

Each geographic zone begins with a geographic and cultural summary that provides the interpretative context for the individual test excavations and archaeological cultural resources within that geographic zone. These geographic zone summaries incorporate and expand upon the background information presented in Volume II.

Each individual test excavation summary in Volumes IVA to IVD begins with a header section that identifies the test excavation number and the following general information:

| | |
|------------------------------------|---|
| Ahupua'a: | (the traditional Hawaiian land division the excavation is in) |
| LCA: | (the Land Commission Award [Māhele award] the excavation is in) |
| TMK #: | (the Tax Map Key the excavation is in) |
| Elevation Above Sea Level: | (elevation in meters, provided by project surveyors) |
| UTM: | (NAD 83, Zone 4 north coordinates, excavation center point) |
| Max Length/Width/Depth: | (the excavation's maximal dimensions in meters) |
| Orientation: | (the excavation's long axis orientation to True North) |
| Targeted Project Component: | (e.g., "station column," "utility relocation corridor," etc.) |
| USDA Soil Designation: | (based on USDA soil survey data [Foote et al. 1972]) |

The body of the test excavation summary is divided into a number of subsections. "**Setting**" describes the location, built environment, and existing utilities immediately adjacent to the test excavation. Utility location information is based primarily on utility location CADD layers provided by PB (the general engineering consultant), but also on "one-call" utility location markings that were placed in the excavation vicinity by the various utility companies prior to excavation.

"**Summary of Background Research and Land Use**" provides a brief recap of what is known about past land use at each test excavation location. This information is based primarily on the background information presented in Volume II. This information (condensed into a GIS database that contained georeferenced historic maps and aerial photographs, previous archaeology projects, previously identified archaeological cultural resources, land commission award boundaries, and other environmental information) was reviewed and summarized by field crews before each excavation. This was done to provide a context for the interpretation of each test excavation. This information is included with each test excavation summary to provide this cultural/environmental context to the reader.

"**Documentation Limitations**" describes any unusual conditions or constraints to the documentation of the individual test excavations. Examples of such conditions or limitations include unsafe conditions that prohibit entry into the test excavation or that prohibit continued excavation, such as undermined sidewalls, or unstable sidewalls. If there were no unusual conditions or limitations, typically the depth of excavation and the depth of the water table are given.

"**Stratigraphic Summary**" provides a brief overview of the different stratigraphic layers observed in the excavation. This brief overview is supported by a detailed stratigraphic description based on USDA soil survey observations that is included as a table with each excavation summary.

The “**Artifact Discussion**” and “Feature Discussion” describe the artifacts and features that were documented in the excavation. Artifacts found in bulk sediment samples are described in the “Sample Results” section below. Only archaeological features are described—modern utility excavations less than 50 years old, for example, are not considered archaeological features and are not described in the feature discussion. Additionally, historic roadway features for in-use roadways (for example, Dillingham Boulevard), such as storm drains and other features associated with roadway use or construction, are considered parts of in-use architectural structures and not archaeological cultural resources. Accordingly, they are not described as archaeological features.

“**Terrestrial Faunal Remains Collected During Excavation**” focuses on summarizing the terrestrial faunal material collected from the test excavation during actual excavation. This most often consisted of the historic and modern terrestrial vertebrate material associated with historic and modern fill layers; however, this discussion also includes terrestrial faunal remains collected from natural and culturally-enriched buried A-horizons. This material was collected and identified to better characterize these deposits, but also to ensure that human remains were not present. Smaller terrestrial vertebrate remains collected as part of bulk sediment samples that were processed in the laboratory after excavation are described in the “Sample Results” sub-heading of each excavation summary as part of the discussion of bulk sediment sample results. Depending on the number of different species represented, a “terrestrial faunal identification results found during excavation” table is included with the excavation summary.

“**Sample Results**” briefly summarizes all other laboratory results, including Energy-Dispersive X-Ray Fluorescence (EDXRF), radiocarbon dating, pollen/micro charcoal particle analysis, the results of bulk sample analysis (can include additional artifact and faunal discussion), wood taxa identification, marine shell identification, and land snail identification. These results are more thoroughly discussed in Volume V: Laboratory Results.

“**GPR Discussion**” briefly describes the results of the comparison of the actual excavation results to the post-processed GPR survey results. This “ground trothing” is used as a means to evaluate the effectiveness of the GPR method in detecting stratigraphic boundaries and subsurface features. This discussion is amplified in Volumes VIA and VIB: GPR Results.

Each individual test excavation is summarized in the “**Summary**” subheading with a focus on what was learned from each test excavation. State Inventory of Historic Properties (SIHP) numbers are given for those test excavations that are part of archaeological cultural resources.

Volume V presents the laboratory results, including discussions of traditional Hawaiian artifacts, historic artifacts, processed bulk sediment samples, vertebrate material, invertebrate material, wood taxa identification, radiocarbon dating, EDXRF analysis, pollen/micro charcoal particle analysis, marine shell and land snail identification. Volume V provides detailed information to support Volumes I and IVA to IVD. Volume V also provides more detailed discussion of laboratory methods and procedures than what is included in this volume in Section 2.

Volumes VIA and VIB present the results of ground penetrating radar (GPR) survey and analysis. One of the goals of the City Center AIS was to assess the ability of GPR to determine stratigraphy and locate subsurface cultural deposits in the fully developed urban Honolulu

landscape. Accordingly, Volumes VIA and VIB present detailed comparisons of test excavation results with GPR survey results. Volumes VIA and VIB are organized by the 11 geographic zones discussed above.

1.4 Environmental Setting

The following environmental overview is augmented by environmental discussion in each of the geographic zone summaries in Volumes IVA, IVB, IVC, and IVD.

1.4.1 Natural Environment

The City Center AIS study area is situated along the low-lying coastal flats immediately inland of Kapālama Basin, Honolulu Harbor, and Kewalo Basin, generally within one km of the shoreline. The study area traverses Kalihi Stream, Kapālama Stream, and Nu‘uanu Stream. Elevations in the study area range from approximately one to seven meters (3 to 24 feet) above mean sea level. The study area receives an average of approximately 23 to 39 inches of annual rainfall (Giambelluca et al. 1986). As the City Center AIS study area traverses a predominantly urban landscape, vegetation in the study area and immediate vicinity consists primarily of introduced (non-indigenous) landscaping trees, shrubs, and ground covers. According to U.S. Department of Agriculture soil survey data (Figure 10), sediment types in the study area include exclusively: Fill Land (FL) and ‘Ewa Silty Clay Loam (EmA) (Foote et al. 1972).

Fill Land is described as follows:

This land type occurs mostly near Pearl Harbor and in Honolulu, adjacent to the ocean. It consists of areas filled with material dredged from the ocean or hauled from nearby areas, garbage, and general material from other sources. Included in mapping were a few areas that have been excavated. This land type is used for urban development including airports, housing areas, and industrial facilities. (Foote et al. 1972:31)

‘Ewa Silty Clay Loam soils are described as follows:

This soil occurs on alluvial fans and terraces...Permeability is moderate. Runoff is slow, and the erosion hazard is slight...The depth to coral limestone or gravelly alluvium ranges from 50 to more than 60 inches. In some areas cobble stones and stones occur on the surface and in the surface layer. This soil is used for sugarcane, truck crops and pasture. (Foote et al. 1972:29–3)

1.4.2 Built Environment

The study area traverses a predominantly urban environment, through the neighborhoods of Kalihi, Kapālama, Iwilei, Chinatown, Downtown Honolulu, and Kaka‘ako. The centerline of the project alignment is generally within the median or shoulder of various roads and highways, including: Kamehameha Highway, Dillingham Boulevard, Ka‘aahi Street, Nimitz Highway, Halekauwila Street, Queen Street, and Kona Street. Parcels bordering the roads and highways include a mix of commercial, industrial, and residential developments. Large developments in the vicinity of the study area include Honolulu Community College, the Aloha Tower Marketplace, and Ala Moana Center. Dillingham Boulevard and Nimitz/Ala Moana Boulevard,

and Halekauwila Street are major utility corridors with abundant subsurface and overhead utilities including: gas, water, electric, sewer, storm drain, telephone, and other communications.




Figure 10. Aerial photograph (source: U.S.G.S. orthoimagery 2005) with overlay of the Soil Survey of Hawai'i (Foote et al. 1972), showing USDA soil types in the vicinity of the City Center AIS study area